Laboratory
Scales and Balances

ADAM®

THE RIGHT BALANCE
Speed, Performance, Value

2017

Index

PMB Moisture Analyzer 1
Eclipse® Analytical and Precision Balances 2
Nimbus® Analytical and Precision Balances 6
Highland® Portable Precision Balances 10
Core® Portable Compact Balances 11
CB Compact Balances 12
Dune® Compact Balances 13
LBK Weighing Scales 14
CPWplus Weighing Scales 15
Warrior® Washdown Scales 16

Key Features

Backlight

Internal calibration

External calibration

Internal rechargeable battery

Battery operated

Time

Lockdown

RS-232

USB

Tare

Weigh-below hook

GLP/ISO printouts

Date

To place an order

Email: orders@adamequipment.com
Phone: 1-888-355-3868
Fax: 1-203-792-3406
For questions, email:
sales@adamequipment.com

For more than 45 years, professionals worldwide have relied on Adam Equipment for an extensive selection of dependable and affordable weighing equipment. Adam provides the right balance of speed, performance and value.

PMB Moisture Analyzer

Features

- Programmable backlight can be set to "always on," "always off" or "light only when weighing"
- Optional RS-232 interface is available to provide speedy connection to computers and printers
- USB host for flash drive and USB I/O interface
- Three settings for heating sample include ramp-up, stepped temperatures, and single temperature
- Seven preset drying modes allow test routines for several products
- Testing can be set to start automatically when lid closes
- Built-in memory for storing products and settings

Applications

- Weighing
- Moisture determination

Model	PMB 53	PMB 163	PMB 202
Capacity	50g	160g	200g
Readability	0.001g / 0.01%	0.001g / 0.01%	0.01g / 0.05%
Tare Range	Full range		
Pan Size	3.9" ø / 100mm ø		
Weighing Units	g, %M, %S, ATRO %M, ATRO %S		
Calibration	External calibration		
Display	Backlit LCD with 0.9"/ 24mm -high digits		
Power Supply	Power cord		
Overall Dim.	9.8"x14.2"x7.3" / 250x360x185mm (wxdxh)		
Price	$2,475.00	$2,675.00	$2,175.00

Accessories

Item number	Description	Price
104008036	Anti-vibration table	$675.00
1070010636	Temperature calibration kit	$250.00
301208188	In-use wet cover	$25.00
3074010266	RS-232 cable (null-modem)	$35.00
3074010267	USB cable	$35.00
1120011156	ATP thermal printer	$335.00
3126011263	ATP thermal printer paper	$14.00
3126011281	ATP thermal printer paper (pack of 10)	$90.00
307140001	Disposable sample pans (pack of 250)	$175.00
700100046	Kensington-type lock and cable	$28.00
600002028	Adam DU data collection program	$95.00
700660290	Calibration certificate	$85.00

Eclipse® Analytical and Precision Balances

Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- USB and RS-232 interfaces provide speedy communication with computers and printers
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- Selectable digital filtering for animal/dynamic weighing delivers stable results for moving subjects
- External calibration allows for verification and adjustment with weights
- Large, grade 304 stainless steel pan allows swift cleaning
- Robust metal housing protects internal components in harsh environments
- Level indicator and adjustable feet ensure proper balance setup for optimum weighing results
- Illuminated capacitive touch keypad provides responsive operation, and its durable, smooth surface can be easily wiped down

Applications

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Check counting
- Dynamic / animal weighing
- Density determination



External Calibration	EBL 104e	EBL 164e	EBL 214e	EBL 254e	EBL 314e
Internal Calibration	**EBL 104i**	**EBL 164i**	**EBL 214i**	**EBL 254i**	**EBL 314i**
Capacity	100g	160g	210g	250g	310g
Readability	0.0001g	0.0001g	0.0001g	0.0001g	0.0001g
Tare Range	Full range				
Pan Size	3.5" ø / 90mm ø				
Weighing Units	g, mg, ct, GN, dr, oz, ozt, dwt, mm, tl.T, tl.H, tl.S, ti, T, custom unit				
Calibration	External calibration / Automatic internal calibration				
Display	Backlit LCD with capacity tracker with 0.9"/ 24mm-high digits				
Power Supply	18VDC 830mA adapter				
Operating Temperature	15° to 35°C / 59° to 95°F				
Draft Shield	Chamber 6.5"x5.7"x9.4" / 165x145x240mm				
Overall Dimensions	8.7"x13.4"x13.5" / 220x340x344mm (wxdxh)				
Price - External Cal.	$1,835.00	$2,035.00	$2,185.00	$2,335.00	$2,485.00
Price - Internal Cal.	$2,035.00	$2,235.00	$2,385.00	$2,535.00	$2,685.00

Accessories

Item number	Description	Price
104008036	Anti-vibration table	$675.00
1060012713	Density kit for 3.5" ø / 90mm ø pan	$375.00
1060012714	Density kit for 4.7" ø / 120mm ø and 6.3" ø / 160mm ø pan	$375.00
3012313007	Dust cover for 0.1mg balances	$45.00
3012313008	Dust cover for 0.01g and 0.001g balances	$45.00
3074010267	USB cable	$35.00
3014011014	RS-232 cable	$35.00
1120011156	ATP thermal printer	$335.00
3126011263	ATP thermal printer paper	$14.00
3126011281	ATP thermal printer paper (pack of 10)	$90.00
600002028	Adam DU data collection program	$95.00
302126013	Weigh below hook for 15.7"x11.8" / 400x300mm pan	$25.00
3014013041	Security lock and cable	$28.00
700660290	Calibration certificate	$85.00

External Calibration	EBL 223e	EBL 423e	EBL 623e	EBL 823e
Internal Calibration	**EBL 223i**	**EBL 423i**	**EBL 623i**	**EBL 823i**
Capacity	220g	420g	620g	820g
Readability	0.001g	0.001g	0.001g	0.001g
Tare Range	Full range			
Pan Size	4.7" ø / 120mm ø			6.3" ø / 160mm ø
Weighing Units	g, kg, ct, GN, N, dr, lb, oz, ozt, dwt, mm, tl.T, tl.H, tl.S, ti, T, custom unit			
Calibration	External calibration			
Display	Backlit LCD with capacity tracker with 0.9"/ 24mm-high digits			
Power Supply	18VDC 830mA adapter			
Draft Shield	Round 7.1" ø x 4.3" / 180mm ø x 110mm			
Overall Dimensions	8.7"x12.2"x10.6" / 220x310x270mm (wxdxh)			
Price - External Cal.	$995.00	$1,155.00	$1,375.00	$1,725.00
Price - Internal Cal.	$1,195.00	$1,355.00	$1,575.00	$1,925.00

External Calibration	EBL 1602e	EBL 2602e	EBL 3602e	EBL 4602e	EBL 6202e
Internal Calibration	**EBL 1602i**	**EBL2602i**	**EBL 3602i**	**EBL 4602i**	**EBL 6202i**
Capacity	1600g	2600g	3600g	4600g	6200g
Readability	0.01g	0.01g	0.01g	0.01g	0.01g
Tare Range	Full range				
Pan Size	6.3" ø / 160mm ø				
Weighing Units	g, kg, ct, GN, N, dr, lb, oz, ozt, dwt, mm, tl.T, tl.H, tl.S, ti, T, custom unit				
Calibration	External calibration				
Display	Backlit LCD with capacity tracker with 0.9"/ 24mm-high digits				
Power Supply	18VDC 800mA adapter				
Overall Dimensions	8.7"x12.2"x3.5" / 220x310x89mm (wxdxh)				
Price - External Cal.	$925.00	$995.00	$1,095.00	$1,195.00	$1,695.00
Price - Internal Cal.	$1,125.00	$1,195.00	$1,295.00	$1,395.00	$1,895.00

Model	EBL 4201e	EBL 6201e	EBL 8201e	EBL 12001e	EBL 16001e	EBL 22001e	EBL 32001e
Model with Pillar				EBL 12001P	EBL 16001P	EBL 22001P	EBL 32001P
Capacity	4200g	6200g	8200g	12000g	16000g	22000g	32000g
Readability	0.1g	0.1g	0.1g	0.1g	0.1g	0.1g	0.1g
Tare Range	Full range						
Pan Size	6.3" ø / 160mm ø						
Weighing Units	g, kg, ct, GN, N, dr, lb, oz, ozt, dwt, mm, tl.T, tl.H, tl.S, ti, T, custom unit						
Calibration	External calibration						
Display	Backlit LCD with capacity tracker with 0.9"/ 24mm-high digits						
Power Supply	18VDC 800mA adapter						
Overall Dimensions	8.7"x12.2"x3.5" / 220x310x89mm (wxdxh)						
Price	$945.00	$1,025.00	$1,125.00	$1,525.00	$1,925.00	$2,725.00	$3,175.00
Price with Pillar				$1,650.00	$2,050.00	$2,850.00	$3,300.00

"i" versions include internal calibration
"e" versions are external calibration
"P" versions have a pillar display

Nimbus® Analytical and Precision Balances

Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Robust metal housing protects internal components in harsh environments
- USB and RS-232 interfaces provide speedy communication with computers and printers
- External calibration allows for verification and adjustment with weights
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- Large, grade 304 stainless steel pan allows swift cleaning

Applications

- Weighing
- Parts counting
- Percentage weighing
- Dynamic / animal weighing
- Density determination

External Calibration	NBL 84e	NBL 124e	NBL 164e	NBL 214e	NBL 254e	NBL 223e	NBL 423e	NBL 623e	NBL 823e
Internal Calibration	**NBL 84i**	**NBL 124i**	**NBL 164i**	**NBL 214i**	**NBL 254i**	**NBL 223i**	**NBL 423i**	**NBL 623i**	**NBL 823i**
Capacity	80g	120g	160g	210g	250g	220g	420g	620g	820g
Readability	0.0001g	0.0001g	0.0001g	0.0001g	0.0001g	0.001g	0.001g	0.001g	0.001g
Tare Range	Full range								
Pan Size	3.5" ø / 90mm ø					4.7" ø / 120mm ø			
Weighing Units	g, mg, ct, GN, N, oz, ozt, dwt, T, custom unit								
Calibration	External calibration								
Display	Backlit LCD with 0.8"/ 20mm-high digits								
Power Supply	18VDC 830mA adapter								
Draft Shield	Chamber 6.5"x5.7"x9.4" / 165x145x240mm					Round 7.1" ø x 4.3" / 180mm ø x 110mm			
Overall Dimensions	8.7"x13.4"x13.5" / 220x340x344mm (wxdxh)					8.7"x12.2"x10.6" / 220x310x270mm (wxdxh)			
Price - External Cal.	$1,535.00	$1,635.00	$1,835.00	$2,035.00	$2,185.00	$795.00	$955.00	$1,155.00	$1,355.00
Price - Internal Cal.	$1,715.00	$1,815.00	$2,015.00	$2,215.00	$2,365.00	$975.00	$1,135.00	$1,335.00	$1,535.00

Accessories

Item number	Description	Price
104008036	Anti-vibration table	$675.00
1060012713	Density kit for 3.5" ø / 90mm ø pan	$375.00
1060012714	Density kit for 4.7" ø / 120mm ø and 6.3" ø / 160mm ø pan	$375.00
3012313007	Dust cover for 0.1mg balances	$45.00
3012313008	Dust cover for 0.01g and 0.001g balances	$45.00
3012313009	In-use wet cover for 3.5" ø / 90mm ø pan	$35.00
3012313010	In-use wet cover for 4.7" ø / 120mm ø and 6.3" ø / 160mm ø pan	$35.00
3012313012	In-use wet cover for 15.7"x11.8" / 400x300mm pan	$35.00
3074010267	USB cable	$35.00
3014011014	RS-232 cable	$35.00

External Calibration	NBL 1602e	NBL 2602e	NBL 3602e	NBL 4602e	NBL 4201e	NBL 6201e	NBL 8201e
Internal Calibration	NBL 1602i	NBL 2602i	NBL 3602i	NBL 4602i			
Capacity	1600g	2600g	3600g	4600g	4200g	6200g	8200g
Readability	0.01g	0.01g	0.01g	0.01g	0.1g	0.1g	0.1g
Tare Range	Full range						
Pan Size	6.3" ø / 160mm ø						
Weighing Units	g, kg, ct, GN, N, lb, oz, lb:oz, ozt, dwt, T, custom unit						
Calibration	i = Internal calibration e = External calibration						
Display	Backlit LCD with 0.8"/ 20mm-high digits						
Power Supply	18VDC 830mA adapter						
Overall Dimensions	8.7"x12.2"x3.5" / 220x310x90mm (wxdxh)						
Price - External Cal.	$725.00	$795.00	$895.00	$995.00	$745.00	$845.00	$925.00
Price - Internal Cal.	$925.00	$975.00	$1,075.00	$1,175.00			

Accessories

Item number	Description	Price
1120011156	ATP thermal printer	$335.00
3126011263	ATP thermal printer paper	$14.00
3126011281	ATP thermal printer paper (pack of 10)	$90.00
600002028	Adam DU data collection program	$95.00
3021210953	Weigh below hook	$25.00
302126013	Weigh below hook for NBL 15.7"x11.8" / 400x300mm pan	$25.00
3014013041	Security lock and cable	$28.00
700660290	Calibration certificate	$85.00

External Calibration	NBL 12001e	NBL 16001e	NBL 22001e
External Calibration with Pillar	**NBL 12001P**	**NBL 16001P**	**NBL 22001P**
Capacity	12000g	16000g	22000g
Readability	0.1g	0.1g	0.1g
Tare Range	Full range		
Pan Size	15"x11"/400x300mm		
Weighing Units	g, kg, ct, GN, N, lb, oz, ozt, dwt, custom unit		
Calibration	External calibration		
Display	Backlit LCD with 20mm-high digits		
Power Supply	18VDC 800mA adapter		
Overall Dimensions	401x460x102mm (wxdxh)		
Price	$1,325.00	$1,725.00	$2,525.00
Price with Pillar	$1,450.00	$1,850.00	$2,650.00

"i" versions include internal calibration
"e" versions are external calibration
"P" versions have a pillar display

Highland® Portable Precision Balances

Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Removable draft shield helps to reduce errors caused by air currents
- Rechargeable battery included for operation almost anywhere
- Internal calibration eliminates need for external weight set
- USB and RS-232 interfaces provide speedy communication with computers and printers

Applications

- Weighing
- Parts counting
- Percentage weighing
- Accumulation

Model	HCB 123	HCB 153	HCB 302	HCB 602	HCB 602H	HCB 1002	HCB 1502	HCB 2202	HCB 3001	HCB 6001
Capacity	120g	150g	300g	600g	600g	1000g	1500g	2200g	3000g	6000g
Readability	0.001g	0.005g	0.01g	0.02g	0.01g	0.01g	0.05g	0.01g	0.1g	0.1g
Tare Range	Full range									
Pan Size	4.7" ø / 120mm ø									5.7" ø / 145mm ø
Weighing Units	g, lb, oz, N, GN, ct, dr, dwt, mm, ozt, T, tl.H, tl.S, tl.T									
Calibration	External calibration / Internal manual calibration									
Display	Backlit LCD with 0.7"/ 18mm -high digits									
Power Supply	12VDC 800mA adapter / Internal rechargeable battery									
Operating Temperature	0° to 40°C / 32° to 104°F									
Draft Shield	Round 5.2" ø x 3.5" / 132mm ø x 90mm									N/A
Overall Dim.	6.9"x9.9"x3.1" / 174x252x80mm (wxdxh)									
List Price	$435.00	$355.00	$355.00	$355.00	$445.00	$495.00	$355.00	$595.00	$355.00	$485.00

Accessories

Item number	Description	Price
308002042	Hard carrying case with lock	$75.00
308232034	In-use wet cover (pack of 5)	$85.00
308232035	In-use wet cover (pack of 10)	$150.00
308232030	In-use wet cover	$20.00
3074010266	RS-232 cable (null-modem)	$35.00
3074010267	USB cable	$35.00
1120011156	ATP thermal printer	$335.00
3126011263	ATP thermal printer paper	$14.00
3126011281	ATP thermal printer paper (pack of 10)	$90.00
700100046	Kensington-type lock and cable	$28.00
600002028	Adam DU data collection program	$95.00
700660290	Calibration certificate	$85.00

Core® Portable Compact Balances

Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Large, grade 304 stainless steel pan allows swift cleaning
- Removable draft shield (120mm and 160mm pan size only)
- Balances stack efficiently and safely to save space (120mm pan size only)
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Auto power-off to save energy
- Operates with AC adapter (included) or batteries (not included)
- Three-point ShockProtect® feature helps prevent overload damage to internal components

Applications

- Weighing

Model	CQT 202	CQT 251	CQT 601	CQT 1501	CQT 2000	CQT 2601	CQT 5000
Capacity	200g	250g	600g	1500g	2000g	2600g	5000g
Readability	0.01g	0.1g	0.1g	0.1g	1g	0.1g	1g
Tare Range	Full range						
Pan Size	4.7" Ø / 120mm Ø						
Weighing Units	g, kg, lb, oz, N, GN, ct, dr, tl.T						
Calibration	External calibration						
Display	Backlit LCD with 0.7"/ 18mm-high digits						
Power Supply	12VAC 150mA adapter / 6 x AA batteries						
Draft Shield	Round 5.1" ø x 3.5" / 130mm ø x 90mm						
Overall Dim.	6.7"x9.8"x3.1" / 171x250x80mm (wxdxh)						
Price	$265.00	$125.00	$175.00	$235.00	$125.00	$295.00	$175.00

Accessories

Item number	Description	Price
308002042	Hard carrying case with lock	$75.00
308232033	In-use wet cover	$20.00
308232036	In-use wet cover (pack of 5)	$85.00
308232037	In-use wet cover (pack of 10)	$150.00
700100046	Kensington-type lock and cable	$28.00
700660290	Calibration certificate	$85.00

CB Compact Balances

Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Large, grade 304 stainless steel pan allows swift cleaning
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Solid ABS housing is durable for industrial uses
- Low-battery indicator alerts users when batteries need replacement
- Optional 6VDC 200mA adapter
- Level indicator and adjustable feet ensure proper balance setup for optimum weighing results

Applications

- Weighing

Model	CB 501	CB 1001	CB 3000
Capacity	500g	1000g	3000g
Readability	0.1g	0.1g	1g
Tare Range	Full range		
Pan Size	5.1" Ø / 130mm Ø		
Weighing Units	g, lb, oz		
Calibration	External calibration		
Display	LCD with 0.5"/ 12mm-high digits		
Power Supply	2 x AA batteries / Optional 6VDC 200mA adapter		
Overall Dimensions	6.3"x8.1"x1.8" / 160x205x45mm (wxdxh)		
Price	$75.00	$85.00	$75.00

Accessories

Item number	Description	Price
700400120	6VDC 200mA adapter	$30.00
700230015	In-use wet cover	$15.00
700660290	Calibration certificate	$85.00

Dune® Compact Balances

Features

- High-contrast display is easily visible from a distance
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Solid ABS housing is durable for industrial uses
- Auto power-off to save energy
- Low-battery indicator alerts users when batteries need replacement
- Operates with AC adapter (included) or batteries (not included)

Applications

- Weighing

Model	DCT 201	DCT 2000	DCT 5000
Capacity	200g	2000g	5000g
Readability	0.1g	1g	2g
Tare Range	Full range		
Pan Size	5.7"x5.7" / 145x145mm		
Weighing Units	g, oz	g, lb, oz	
Calibration	External calibration		
Display	LCD with 0.6"/ 15mm-high digits		
Power Supply	12VAC 150mA adapter / 6 x AA batteries		
Overall Dimensions	5.8"x8.2"x1.6" / 147x208x40mm (wxdxh)		
Price	$89.00	$89.00	$89.00

Accessories

Item number	Description	Price
700660290	Calibration certificate	$85.00

LBK Weighing Scales

Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Large, grade 304 stainless steel pan allows swift cleaning
- Solid ABS housing is durable for industrial uses
- Operates with AC adapter or batteries (both included)
- Rechargeable battery included for operation almost anywhere
- External calibration allows for verification and adjustment with weights

Applications

- Weighing
- Parts counting
- Percentage weighing

Model	LBK 6a	LBK 12a	LBK 25a	LBK 65a
Capacity	6lb / 3kg	12lb / 6kg	25lb / 12kg	65lb / 30kg
Readability	0.001lb / 0.5g	0.002lb / 1g	0.005lb / 2g	0.01lb / 5g
Tare Range	Full range			
Pan Size	9.8"x7.1" / 250x180mm			
Weighing Units	g, kg, lb, lb:oz, oz			
Calibration	External calibration			
Display	Backlit LCD with 0.9"/ 24mm-high digits			
Power Supply	12VDC 800mA adapter / Internal rechargeable battery			
Overall Dimensions	9.8"x12.1"x4.3" / 250x307x110mm (wxdxh)			
Price	$185.00	$185.00	$185.00	$185.00

Accessories

Item number	Description	Price
• 700200056	In-use wet cover	$20.00
• 700200063	In-use wet cover (pack of 5)	$85.00
• 700200064	In-use wet cover (pack of 10)	$150.00
• 700660290	Calibration certificate	$85.00

CPW*plus* Weighing Scales



CPW*plus* M

Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Large, grade 304 stainless steel pan allows swift cleaning
- Optional RS-232 interface is available to provide speedy connection to computers and printers
- Auto power-off to save energy
- Hold function freezes the displayed weight, allowing time to lapse without losing the result
- Robust metal housing protects internal components in harsh environments

Applications

- Weighing
- Display hold

Model	CPWplus 6	CPWplus 15	CPWplus 35	CPWplus 75	CPWplus 150	CPWplus 200
Model M			CPWplus 35M	CPWplus 75M	CPWplus 150M	CPWplus 200M
Capacity	13lb / 6kg	33lb / 15kg	75lb / 35kg	165lb / 75kg	330lb / 150kg	440lb / 200kg
Readability	0.005lb / 0.002kg	0.01lb / 0.005kg	0.02lb / 0.01kg	0.05lb / 0.02kg	0.1lb / 0.05kg	0.1lb / 0.05kg
Tare Range	Full range					
Pan Size	11.8"x11.8" / 300x300mm (M Series) - 19.7"x19.7" / 500x500mm					
Weighing Units	kg, lb, lb:oz, oz					
Calibration	External calibration					
Display	Backlit LCD with 0.9"/ 22mm-high digits					
Power Supply	12VAC 150mA adapter / 6 x AA batteries / Internal Rechargeable Battery (M models only)					
Oper. Temp.	0° to 40°C / 32° to 104°F					
Overall Dim.	300x300x50mm (M series) - 500x500x78mm					
Price	$195.00	$195.00	$195.00	$195.00	$205.00	$215.00
Price (M series)			$350.00	$360.00	$370.00	$380.00

Accessories

Item number	Description	Price
700100099	Hard carrying case with lock (300 x 300mm pan size only)	$85.00
3074010266	RS-232 cable (null-modem)	$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	$50.00
1120011156	ATP thermal printer	$335.00
3126011263	ATP thermal printer paper	$14.00
3126011281	ATP thermal printer paper (pack of 10)	$90.00
700200059	Non-slip rubber mat (CPWplus L only)	$35.00
600002028	Adam DU data collection program	$95.00
700660290	Calibration certificate	$85.00

Warrior® Washdown Scales

Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Rugged stainless steel construction for ultimate durability
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy
- Selectable digital filtering for animal/dynamic weighing delivers stable results for moving subjects

Applications

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Dynamic / animal weighing

Model	WSK 16a	WSK 35a	WSK 70a	WBK 70a	WBK 70aH	WBK 165a
Capacity	16lb / 8kg	35lb / 16kg	70lb / 32kg	70lb / 32kg	70lb / 32kg	165lb / 75kg
Readability	0.001lb / 0.5g	0.002lb / 1g	0.005lb / 2g	0.005lb / 2g	0.002lb / 1g	0.01lb / 5g
Tare Range	Full range					
Pan Size	9.8"x9.8" / 250x250mm			11.8"x15.7" / 300x400mm		
Weighing Units	g, kg, lb, lb:oz, oz, N					
Calibration	External calibration					
Display	Backlit LCD with 1.6"/ 40mm-high digits					
Power Supply	12VDC 800mA adapter / Internal rechargeable battery					
Overall Dim.	9.8"x13.6"x20.9" / 250x345x532mm (wxdxh)			11.8"x19.7"x23.1" / 300x500x587mm (wxdxh)		
Price	$875.00	$875.00	$875.00	$975.00	$1,125.00	$975.00

Accessories

Item number	Description	Price
3102311619	In-use wet cover	$20.00
1120011156	ATP thermal printer	$335.00
3126011263	ATP thermal printer paper	$14.00
3126011281	ATP thermal printer paper (pack of 10)	$90.00
1100011297	AE402 relay box	$185.00
600002028	Adam DU data collection program	$95.00
700660290	Calibration certificate	$85.00
3104012889	RS-232 cable (factory fitted)	$55.00

Model	WFK 165a	WFK 165aH	WFK 330a	WLK 330a
Capacity	165lb / 75kg	165lb / 75kg	330lb / 150kg	330lb / 150kg
Readability	0.01lb / 5g	0.002lb / 1g	0.02lb / 0.01kg	0.02lb / 0.01kg
Tare Range	Full range			
Pan Size	15.7"x19.7" / 400x500mm			
Weighing Units	g, kg, lb, lb:oz, oz, N			
Calibration	External calibration			
Display	Backlit LCD with 1.6"/ 40mm-high digits			
Power Supply	12VDC 800mA adapter / Internal rechargeable battery			
Overall Dim.	15.7"x23.2"x38.3" / 400x590x972mm (wxdxh)			17.7"x27.6"x38.3" / 450x700x972mm
Price	$1,325.00	$1,475.00	$1,325.00	$1,525.00

Anti-Vibration Table

Features

- Scratch-resistant marble slab
- Two-table construction keeps the marble block in the middle and reduces interference
- Large working surface of 15.7"x17.7"/ 400x450mm
- Room around the vibration slab for resting samples
- Lightweight tubular aluminum frame
- Adjustable leveling feet for uneven surfaces
- Polished finish is easy to clean

Model	AVT
Price	$675.00

ASTM Weights Sets

Features

- Stainless steel weights

Class	ASTM 1	ASTM 1	ASTM 2	ASTM 2
Capacity Range	1g-200g	1g-500g	1g-200g	1g-500g
Price	$725.00	$1,155.00	$695.00	$995.00

Adam Equipment Inc.
1 Fox Hollow Road, Oxford, CT 06478
Tel: 203-790-4774 - Fax: 203-792-3406
Email: sales@adamequipment.com
www.adamequipment.com

Eclipse, Nimbus, Highland, Core, Dune, Warrior, ShockProtect, HandiCal, Adam Equipment and the Adam Equipment logo are registered trademarks of Adam Equipment; therefore, use of these trademarks in any way requires express written permission of Adam Equipment. Adam Equipment follows a policy of continuous improvement and reserves the right to change specifications and pricing without notice.
Adam Equipment standard terms and conditions of sales apply. Information is correct until time of printing.

NA-7001 ©Adam Equipment Inc. All rights reserved.