

Industrial Scales and Balances



PTS Pallet Truck Scale
Page 24

THE RIGHT BALANCE
Speed, Performance, Value

Contents

- Core®** Portable Compact Balances1
- Astro®** Compact Portioning Scale2
- WBW** Washdown Scales3
- LBK** Compact Bench Scales.....4
- CBK** Bench Checkweighing Scales5
- CBC** Bench Counting Scales6
- CBD** Bench Counting Scales7
- CBD+** Counting Scales with Remote Platform.....8
- CPWplus** Bench and Floor Scales..... 9-10
- GBK** Bench Checkweighing Scales 11
- ABK** Bench Weighing Scales 12
- GBC** Bench Counting Scales 13
- GFC** Floor Counting Scales 14
- AFK** Floor Weighing Scales..... 15
- GFK** Floor Checkweighing Scales 16
- Warrior®** Washdown Scales 17-18
- SHS** Crane Scales 19
- LHS** Crane Scales 20
- IHS** Crane Scales 21
- GB & GF** Platforms 22
- AELP** Pallet Beams 23
- PTS** Pallet Truck Scale 24
- PTM** Drum and Wheelchair Scale 25
- PT** Platforms 26-29
- PT Stainless Steel** Platforms 30-31
- AE** Indicator 32
- GK** Indicator 33
- Accessories** 34-35
- ASTM Weights**..... 36

Icon key



Backlit Display



Internal Calibration



Security Devices



Date



Internal Rechargeable Battery



Tare Range



External Battery



IP66-Rated Washdown



Time



External Calibration



Multiple Weighing Units



USB



GLP/ISO Printouts



RS-232



Weigh-Below

Approvals



NTEP - In the United States and other countries, scales and balances that are used to sell goods by weight must be approved by the National Type Evaluation Program. NTEP relies on expertise and input from regulatory and industry representatives to develop consensus on standards and procedures. Learn more at www.ncwm.net.



Measurement Canada - In Canadian retail settings, scales and balances used for trade must receive Measurement Canada approval. Measurement Canada adheres to Weights and Measures Act regulations, ensuring equity and accuracy when products are weighed prior to sale. Learn more about Measurement Canada at www.ic.gc.ca.

CORE® PORTABLE COMPACT BALANCES

FEATURES

- Rugged construction stands up to industrial use
- Three-point ShockProtect® feature helps prevent overload damage to internal components
- Large, grade 304 stainless steel pan allows swift cleaning
- Audible overload alarm warns when capacity is exceeded
- Vivid, backlit LCD easily visible in any lighting conditions
- Programmable backlight can be set to “always on,” “always off” or “light only when weighing”
- Operates with AC adapter (included) or batteries (not included)
- Auto power-off to save energy
- Removable draft shield (120mm pan size only)
- Balances stack efficiently and safely to save space (120mm pan size only)
- Color-coded keys facilitate quick recognition of the most frequently used buttons



APPLICATIONS

- Weighing



Model	CQT 202	CQT 251	CQT 601	CQT 1501	CQT 2000	CQT 2601	CQT 5000
Capacity	200g	250g	600g	1500g	2000g	2600g	5000g
Readability	0.01g	0.1g	0.1g	0.1g	1g	0.1g	1g
Tare Range	Full range						
Pan Size	4.7" Ø / 120mm Ø				5.7" Ø / 145mm Ø		
Weighing Units	g, kg, lb, oz, N, GN, ct, dr, tl.T						
Calibration	External calibration						
Display	Backlit LCD with 0.7"/ 18mm-high digits						
Power Supply	12VAC 150mA adapter / 6 x AA batteries						
Draft Shield	Round 5.1" ø x 3.5" / 130mm ø x 90mm				N/A		
Overall Dim.	6.7"x9.8"x3.1" / 171x250x80mm (wxdxh)						
Price	\$265.00	\$125.00	\$175.00	\$235.00	\$125.00	\$295.00	\$175.00

ACCESSORIES

Item number	Description	Price
308002042	Hard carrying case with lock	\$75.00
308232033	In-use wet cover	\$20.00
308232036	In-use wet cover (pack of 5)	\$85.00
308232037	In-use wet cover (pack of 10)	\$150.00
700100046	Kensington-type lock and cable	\$28.00
700660290	Calibration certificate	\$85.00

ASTRO® COMPACT PORTIONING SCALE

FEATURES

- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Large, grade 304 stainless steel pan allows swift cleaning
- Overload protection helps prevent damage to internal components
- Rugged stainless steel construction for ultimate durability
- Solid, one-piece construction is lightweight and easy to clean
- Operates with AC adapter (included) or batteries (not included)
- Auto power-off to save energy
- External calibration allows for verification and adjustment with weights
- Readouts display green when weighing, and red when overloaded



APPLICATIONS

- Weighing



Model	ASC 2001	ASC 4000	ASC 8000
Capacity	2000g	4000g	8000g
Readability	0.1g	0.5g	1g
Tare Range	Full range		
Pan Size	6.3"x7.1" / 160x180mm		
Weighing Units	g, lb, oz, lb:oz		
Calibration	External calibration		
Display	LCD with 0.7" / 18mm-high digits		
Power Supply	6VDC 500mA adapter / 2 x AAA batteries		
Operating Temperature	0° to 40°C / 32° to 104°F		
Overall Dim.	8.3"x6.6"x2.6" / 212x167x66mm (wxdxh)		
Price	\$275.00	\$190.00	\$210.00

ACCESSORIES

Item number	Description	Price
700660290	Calibration certificate	\$85.00

WBW WASHDOWN SCALES

FEATURES

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Optional rear display doubles equipment placement possibilities for easy viewing
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Checkweighing LEDs clearly show under, over and acceptable limits
- IP66-rated for protection against water and dust
- Sealed keypad protects against dirt and spills
- Large, grade 304 stainless steel pan allows swift cleaning
- Overload protection helps prevent damage to internal components
- Heavy-duty rubber feet ensure stability of unit
- Rechargeable battery included for operation almost anywhere
- AC adapter included
- Programmable auto power-off to save energy



APPLICATIONS

- Weighing
- Checkweighing



Model	WBW 5a	WBW 9a	WBW 18a	WBW 35a	WBW 6aM	WBW 15aM	WBW 30aM
Capacity	5lb / 2kg	9lb / 4kg	18lb / 8kg	35lb / 16kg	6lb / 3kg	15lb / 6kg	30lb / 15kg
Readability	0.0005lb / 0.2g	0.001lb / 0.5g	0.002lb / 1g	0.005lb / 2g	0.002lb / 1g	0.005lb / 2g	0.01lb / 5g
Tare Range	Full range						
Pan Size	8.3"x6.8" / 210x173mm						
Weighing Units	g, kg, lb, lb:oz						
Calibration	External calibration				N/A		
Display	Backlit LCD with 0.8" / 20mm-high digits						
Power Supply	12VDC 800mA adapter / Internal rechargeable battery						
Overall Dim.	9.1"x10.4"x6" / 231x265x153mm (wxdxh)						
Approvals	N/A				NTEP / Measurement Canada		
Price	\$305.00	\$305.00	\$305.00	\$305.00	\$325.00	\$325.00	\$325.00

ACCESSORIES

Item number	Description	Price
2020010755	Rear Display (factory fitted).....	\$135.00
303200002	In-use wet cover (pack of 10).....	\$150.00
303200003	In-use wet cover (pack of 20).....	\$280.00
303209190	In-use wet cover.....	\$20.00
303147959	Large scoop (complete with fitting to scales).....	\$115.00
303147961	Medium scoop (complete with fitting to scales)	\$115.00
303147960	Small scoop (complete with fitting to scales)	\$115.00
700660290	Calibration certificate.....	\$85.00

LBK COMPACT BENCH SCALES

FEATURES

- Vivid, backlit LCD easily visible in any lighting conditions
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Large, grade 304 stainless steel pan allows swift cleaning
- Level indicator and adjustable feet ensure proper balance setup for optimum weighing results
- Splash-proof housing, keypad and display are easy to clean
- Lightweight design simplifies transport and portability
- Audible overload alarm warns when capacity is exceeded
- Parts counting with preset sample sizes
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy



APPLICATIONS

- Weighing
- Parts counting
- Percentage weighing



Model	LBK 6a	LBK 12a	LBK 25a	LBK 65a
Capacity	6lb / 3kg	12lb / 6kg	25lb / 12kg	65lb / 30kg
Readability	0.001lb / 0.5g	0.002lb / 1g	0.005lb / 2g	0.01lb / 5g
Tare Range	Full range			
Pan Size	9.8"x7.1" / 250x180mm			
Weighing Units	g, kg, lb, lb:oz, oz			
Calibration	External calibration			
Display	Backlit LCD with 0.9"/ 24mm-high digits			
Power Supply	12VDC 800mA adapter / Internal rechargeable battery			
Overall Dim.	9.8"x12.1"x4.3" / 250x307x110mm (wxdxh)			
Price	\$185.00	\$185.00	\$185.00	\$185.00

ACCESSORIES

Item number	Description	Price
700200056	In-use cover for LBK.....	\$20.00
700200063	In-use wet cover (pack of 5).....	\$85.00
700200064	In-use wet cover (pack of 10).....	\$150.00
700660290	Calibration certificate.....	\$85.00

CBK BENCH CHECKWEIGHING SCALES

FEATURES

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Sealed keypad protects against dirt and spills
- Quick and easy configuration using the keypad
- Checkweighing LEDs clearly show under, over and acceptable limits
- Checkweighing with audible alarm
- Parts counting with freely selectable sample sizes
- Internal counting resolution 1:400,000 for precision results
- Memory accumulation totals results
- Rugged construction stands up to industrial use
- Either RS-232 or USB interfaces simplifies data communication
- Audible overload alarm warns when capacity is exceeded
- Large, grade 304 stainless steel pan allows swift cleaning
- Rechargeable battery included for operation almost anywhere



APPLICATIONS

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Accumulation



Model	CBK 8a	CBK 16a	CBK 16aH	CBK 35a	CBK 70a	CBK 100a
Capacity	8lb / 4kg	16lb / 8kg	16lb / 8kg	35lb / 16kg	70lb / 32kg	100lb / 48kg
Readability	0.0002lb / 0.1g	0.0005lb / 0.2g	0.0002lb / 0.1g	0.001lb / 0.5g	0.002lb / 1g	0.005lb / 2g
Tare Range	Full range					
Pan Size	8.9"x10.8" / 225x275mm					
Weighing Units	g, kg, lb, lb:oz, oz					
Calibration	External calibration					
Display	Backlit LCD with 0.8" / 20mm-high digits					
Power Supply	12VDC 800mA adapter / Internal rechargeable battery					
Overall Dim.	12.4"x14"x4.3" / 315x355x110mm (wxdxh)					
Price	\$395.00	\$395.00	\$495.00	\$395.00	\$395.00	\$395.00
Price w/USB	\$470.00	\$470.00	\$570.00	\$470.00	\$470.00	\$470.00

ACCESSORIES

Item number	Description	Price
302000001	Hard carrying case with lock.....	\$85.00
302205006	In-use wet cover	\$20.00
700200057	In-use wet cover (pack of 5)	\$85.00
700200058	In-use wet cover (pack of 10)	\$150.00
3074010266	RS-232 cable (null-modem).....	\$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable).....	\$50.00
1120011156	ATP thermal printer.....	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10).....	\$90.00
600002028	AdamDU data collection program.....	\$95.00
202000001	Weigh-below hook (factory fitted).....	\$125.00
700660290	Calibration certificate.....	\$85.00

CBC BENCH COUNTING SCALES

FEATURES

- Backlit LCD shows weight, unit weight and count in one convenient location
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Large, grade 304 stainless steel pan allows swift cleaning
- Heavy-duty rubber feet ensure stability of unit
- Rechargeable battery included for operation almost anywhere
- Auto power-off to save energy
- Parts counting with freely selectable sample sizes
- Parts counting optimization automatically refines piece weight as parts are added
- Preset tare function speeds the process of repetitive weighing



APPLICATIONS

- Parts counting
- Check counting
- Weighing
- Accumulation



Model	CBC 8a	CBC 16a	CBC 35a	CBC 70a	CBC 100a
Capacity	8lb / 4000g	16lb / 8000g	35lb / 16kg	70lb / 32kg	100lb / 48kg
Readability	0.0002lb / 0.1g	0.0005lb / 0.2g	0.001lb / 0.0005kg	0.002lb / 0.001kg	0.005lb / 0.002kg
Tare Range	Full range				
Pan Size	8.9"x10.8" / 225x275mm				
Weighing Units	g, lb		kg, lb		
Calibration	External calibration				
Display	Backlit LCD with 0.8" / 20mm-high digits				
Power Supply	12VDC 800mA adapter / Internal rechargeable battery				
Overall Dim.	12.4"x14"x4.3" / 315x355x110mm (wxdxh)				
Price	\$425.00	\$425.00	\$425.00	\$425.00	\$425.00
Price w/USB	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00

ACCESSORIES

Item number	Description	Price
302000001	Hard carrying case with lock	\$85.00
302205006	In-use wet cover	\$20.00
700200057	In-use wet cover (pack of 5)	\$85.00
700200058	In-use wet cover (pack of 10)	\$150.00
3074010266	RS-232 cable (null-modem)	\$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
112001156	ATP thermal printer	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10)	\$90.00
600002028	AdamDU data collection program	\$95.00
700660290	Calibration certificate	\$85.00

CBD BENCH COUNTING SCALES

FEATURES

- Backlit LCD shows weight, unit weight and count in one convenient location
- Programmable backlight can be set to "always on," "always off" or "light only when weighing"
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Product look up (PLU) memory locations store a range of items for recall
- Parts counting with freely selectable sample sizes
- Parts counting optimization automatically refines piece weight as parts are added
- Programmable for counting to a preset number of parts
- Preset tare function speeds the process of repetitive weighing
- RS-232 interface is available to provide speedy connection to computers and printers
- Optional USB interface simplifies data communication
- Supports connection to platforms with up to four load cells
- Large, grade 304 stainless steel pan allows swift cleaning
- Overload protection helps prevent damage to internal components
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy
- Security password control prevents unauthorized access



APPLICATIONS

- Weighing
- Accumulation
- Parts counting
- Dual scale operation
- Check counting



Model	CBD 8a	CBD 16a	CBD 35a	CBD 70a	CBD 100a
Capacity	8lb / 4kg	16lb / 8kg	35lb / 16kg	70lb / 32kg	100lb / 48kg
Readability	0.0002lb / 0.1g	0.0005lb / 0.2g	0.001lb / 0.5g	0.002lb / 1g	0.005lb / 2g
Tare Range	Full range				
Pan Size	8.9"x10.8" / 225x275mm				
Weighing Units	kg, lb				
Calibration	External calibration				
Display	Backlit LCD with 0.8" / 20mm-high digits				
Power Supply	12VDC 800mA adapter / Internal rechargeable battery				
Overall Dim.	12.4"x14"x4.3" / 315x355x110mm (wxdxh)				
Price	\$645.00	\$645.00	\$645.00	\$645.00	\$645.00
Price w/USB	\$720.00	\$720.00	\$720.00	\$720.00	\$720.00


ACCESSORIES

Item number	Description	Price
302000001	Hard carrying case with lock	\$85.00
302205006	In-use wet cover	\$20.00
700200057	In-use wet cover (pack of 5)	\$85.00
700200058	In-use wet cover (pack of 10)	\$150.00
3074010266	RS-232 cable (null-modem)	\$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
1120011156	ATP thermal printer	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10)	\$90.00
600002028	AdamDU data collection program	\$95.00
700660290	Calibration certificate	\$85.00

CBD+ COUNTING SCALES WITH REMOTE PLATFORM

FEATURES

- Backlit LCD shows weight, unit weight and count in one convenient location
- Programmable backlight can be set to "always on," "always off" or "light only when weighing"
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Large, grade 304 stainless steel pan allows swift cleaning
- Overload protection helps prevent damage to internal components
- Supports connection to platforms with up to four load cells
- RS-232 interface is available to provide speedy connection to computers and printers
- Optional USB interface simplifies data communication
- Programmable auto power-off to save energy
- Rechargeable battery included for operation almost anywhere
- Parts counting optimization automatically refines piece weight as parts are added
- Parts counting with freely selectable sample sizes
- Preset tare function speeds the process of repetitive weighing
- Product look up (PLU) memory locations store a range of items for recall
- Programmable for counting to a preset number of parts
- Security password control prevents unauthorized access



APPLICATIONS

- Weighing
- Check counting
- Dual scale operation
- Parts counting
- Accumulation



Model w/GB	CBD 8a-70a	CBD 8a-130a	CBD 8a-330a	CBD 35a-130a
Capacity	8lb-70Lb / 4kg-32kg	8lb-130Lb / 4kg-60kg	8lb-330Lb / 4kg-150kg	35lb-130Lb / 16kg-60kg
Readability	0.0002lb-0.002lb / 0.1g-1g	0.0002lb-0.005lb / 0.1g-2g	0.0002lb-0.02lb / 0.1g-10g	0.001lb-0.005lb / 0.5g-2g
Pan Size	8.9"x10.8" / 225x275mm	8.9"x10.8" / 225x275mm	8.9"x10.8" / 225x275mm	8.9"x10.8" / 225x275mm
Remote Pan Size	11.8"x15.7" / 300x400mm	11.8"x15.7" / 300x400mm	15.7"x19.7" / 400x500mm	11.8"x15.7" / 300x400mm
Price	\$800.00	\$800.00	\$820.00	\$800.00


Model w/GF	CBD 35a-330a	CBD 35a-1320a	CBD 70a-330a	CBD 70a-660a	CBD 70a-1320a
Capacity	35lb-330Lb / 16kg-150kg	35lb-1320Lb / 16kg-600kg	70lb-330Lb / 32kg-150kg	70lb-660Lb / 32kg-300kg	70lb-1320Lb / 32kg-600kg
Readability	0.001lb-0.02lb / 0.5g-10g	0.001lb-0.1lb / 0.5g-50g	0.002lb-0.02lb / 1g-10g	0.002lb-0.05lb / 1g-20g	0.002lb-0.1lb / 1g-50g
Pan Size	8.9"x10.8" / 225x275mm	8.9"x10.8" / 225x275mm	8.9"x10.8" / 225x275mm	8.9"x10.8" / 225x275mm	8.9"x10.8" / 225x275mm
Remote Pan Size	11.8"x15.7" / 300x400mm	23.6"x31.5" / 600x500mm	11.8"x15.7" / 300x400mm	11.8"x15.7" / 300x400mm	23.6"x31.5" / 600x500mm
Price	\$820.00	\$1,120.00	\$820.00	\$920.00	\$1,120.00

Specifications same as CBD, see page 7

ACCESSORIES

Item number	Description	Price
302000001	Hard carrying case with lock	\$85.00
302205006	In-use wet cover	\$20.00
700200057	In-use wet cover (pack of 5)	\$85.00
700200058	In-use wet cover (pack of 10)	\$150.00
3074010266	RS-232 cable (null-modem)	\$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
1120011156	ATP thermal printer	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10)	\$90.00
600002028	AdamDU data collection program	\$95.00
700660290	Calibration certificate	\$85.00

CPWPLUS BENCH AND FLOOR SCALES



FEATURES

- Vivid, backlit LCD easily visible in any lighting conditions
- Programmable backlight can be set to "always on," "always off" or "light only when weighing"
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Large, grade 304 stainless steel pan allows swift cleaning
- Wall-mount bracket for placing indicator on vertical surface
- Hold function freezes the displayed weight, allowing time to elapse without losing the result
- Auto power-off to save energy

APPLICATIONS

- Weighing
- Display hold

ACCESSORIES

Item number	Description	Price
700100099	Hard carrying case with lock for CPWplus (300 x 300mm pan size only).....	\$85.00
3074010266	RS-232 cable (null-modem).....	\$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
1120011156	ATP thermal printer	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10)	\$90.00
700200059	Non-slip rubber mat (CPWplus L only)	\$35.00
600002028	AdamDU data collection program	\$95.00
700660290	Calibration certificate.....	\$85.00



Model	CPWplus 6	CPWplus 15	CPWplus 35	CPWplus 75	CPWplus 150	CPWplus 200
Model	CPWplus 6P	CPWplus 15P	CPWplus 35P	CPWplus 75P	CPWplus 150P	CPWplus 200P
Capacity	13lb / 6kg	33lb / 15kg	75lb / 35kg	165lb / 75kg	330lb / 150kg	440lb / 200kg
Readability	0.005lb / 0.002kg	0.01lb / 0.005kg	0.02lb / 0.01kg	0.05lb / 0.02kg	0.1lb / 0.05kg	0.1lb / 0.05kg
Tare Range	Full range					
Pan Size	11.8"x11.8" / 300x300mm					
Weighing Units	kg, lb, lb:oz, oz					
Calibration	External calibration					
Display	Backlit LCD with 0.9"/ 22mm-high digits					
Power Supply	12VAC 150mA adapter / 6 x AA batteries					
Overall Dim.	11.8"x11.8"x2" / 300x300x50mm (wxdxh) (P series)-11.8"x17"x21.4" / 300x431x543mm (wxdxh)					
Price	\$195.00	\$195.00	\$195.00	\$195.00	\$205.00	\$215.00
Price (P model)	\$295.00	\$295.00	\$295.00	\$295.00	\$305.00	\$315.00

Model	CPWplus 35M	CPWplus 75M	CPWplus 150M	CPWplus 200M	
Model	CPWplus 35W	CPWplus 75W	CPWplus 150W	CPWplus 200W	
Model	CPWplus 35L	CPWplus 75L	CPWplus 150L	CPWplus 200L	CPWplus 300L
Capacity	75lb / 35kg	165lb / 75kg	330lb / 150kg	440lb / 200kg	660lb / 300kg
Readability	0.02lb / 0.01kg	0.05lb / 0.02kg	0.1lb / 0.05kg	0.1lb / 0.05kg	0.2lb / 0.1kg
Tare Range	Full range				
Pan Size	19.7"x19.7" / 500x500mm - M and W models 35.4"x23.6" / 900x600mm - L models				
Weighing Units	kg, lb, lb:oz, oz				
Calibration	External calibration				
Display	Backlit LCD with 0.9"/ 22mm-high digits				
Power Supply	12VDC 500mA adapter / Internal rechargeable battery				
Overall Dim.	19.7"x19.7"x3.1" / 500x500x78mm (wxdxh) - M models 19.7"x22"x41.3" / 500x560x1050mm (wxdxh) - W models 35.4"x23.6"x3.1" / 900x600x78mm (wxdxh) - L models				
Price - M models	\$350.00	\$360.00	\$370.00	\$380.00	
Price - W models	\$425.00	\$435.00	\$445.00	\$455.00	
Price - L models	\$525.00	\$535.00	\$545.00	\$555.00	\$575.00

GBK BENCH CHECKWEIGHING SCALES

FEATURES

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Checkweighing LEDs clearly show under, over and acceptable limits
- Checkweighing with audible alarm
- Parts counting with freely selectable sample sizes
- Large, grade 304 stainless steel pan allows swift cleaning
- Sealed keypad protects against dirt and spills
- Audible overload alarm warns when capacity is exceeded
- RS-232 interface is available to provide speedy connection to computers and printers
- Rechargeable battery included for operation almost anywhere



APPLICATIONS

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Dynamic / animal weighing
- Accumulation



Model	GBK 16a	GBK 35a	GBK 70a	GBK 130a	GBK 260a
Capacity	16lb / 8kg	35lb / 16kg	70lb / 32kg	130lb / 60kg	260lb / 120kg
Readability	0.0002lb / 0.1g	0.001lb / 0.5g	0.002lb / 1g	0.005lb / 2g	0.01lb / 5g
Tare Range	Full range*				
Pan Size	11.8"x15.7" / 300x400mm*				
Weighing Units	g, kg, lb, lb:oz, oz*				
Calibration	External calibration*				
Display	Backlit LCD with 0.8" / 20mm-high digits*				
Power Supply	12VDC 800mA adapter / Internal rechargeable battery*				
Overall Dim.	11.8"x20.5"x26.8" / 300x520x680mm (wxdxh)*				
Price	\$595.00	\$495.00	\$545.00	\$545.00	\$575.00
Price w/USB	\$670.00	\$570.00	\$620.00	\$620.00	\$650.00

Model	GBK 15aM	GBK 30aM	GBK 60aM	GBK 150aM	GBK 300aM
Capacity	15lb / 6kg	30lb / 15kg	60lb / 30kg	150lb / 60kg	300lb / 150kg
Readability	0.002lb / 1g	0.005lb / 2g	0.01lb / 5g	0.02lb / 0.01kg	0.05lb / 0.02kg
Approvals	NTEP / Measurement Canada				
Price	\$650.00	\$550.00	\$600.00	\$600.00	\$630.00

ACCESSORIES

Item number	Description	Price
3052010526	In-use wet cover	\$20.00
3074010266	RS-232 cable (null-modem)	\$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
1120011156	ATP thermal printer	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10)	\$90.00
600002028	AdamDU data collection program	\$95.00
700200107	Casters / wheels (set of 4)	\$395.00
700660290	Calibration certificate	\$85.00

*Specifications apply to approved "aM" models as well

ABK BENCH WEIGHING SCALES

FEATURES

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Checkweighing LEDs clearly show under, over and acceptable limits
- Checkweighing with audible alarm
- Parts counting with preset sample sizes
- Hold function freezes the displayed weight, allowing time to elapse without losing the result
- Selectable digital filtering for animal/dynamic weighing enables consistent results for moving subjects
- Rugged construction stands up to industrial use
- Sealed keypad protects against dirt and spills
- Audible overload alarm warns when capacity is exceeded
- Large, grade 304 stainless steel pan allows swift cleaning
- RS-232 interface is available to provide speedy connection to computers and printers
- Rechargeable battery included for operation almost anywhere
- AC adapter included
- Programmable auto power-off to save energy
- Wall-mount bracket for placing indicator on vertical surface



APPLICATIONS

- Weighing
- Parts counting
- Checkweighing
- Dynamic / animal weighing
- Percentage weighing



Model	ABK 16a	ABK 35a	ABK 70a	ABK 130a	ABK 260a
Capacity	16lb / 8000g	35lb / 16kg	70lb / 32kg	130lb / 60kg	260lb / 120kg
Readability	0.0005lb / 0.2g	0.001lb / 0.5g	0.002lb / 1g	0.005lb / 2g	0.01lb / 5g
Tare Range	Full range				
Pan Size	11.8"x15.7" / 300x400mm				
Weighing Units	g, kg, lb, lb:oz, N				
Calibration	External calibration				
Display	Backlit LCD with 1.6" / 40mm-high digits				
Power Supply	12VDC 800mA adapter / Internal rechargeable battery				
Overall Dim.	11.8"x20.5"x24" / 300x520x610mm (wxdxh)				
Price	\$715.00	\$615.00	\$665.00	\$665.00	\$695.00

ACCESSORIES

Item number	Description	
3102311619	In-use wet cover	\$20.00
700400103	RS-232 cable	\$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable).....	\$50.00
3004013214	Light tower kit including relay box	\$760.00
1120011156	ATP thermal printer	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10)	\$90.00
1100011297	AE402 relay box	\$185.00
600002028	AdamDU data collection program	\$95.00
700200107	Castors / wheels (set of 4)	\$395.00
700660290	Calibration certificate	\$85.00

GBC BENCH COUNTING SCALES

FEATURES

- Backlit LCD shows weight, unit weight and count in one convenient location
- Programmable backlight can be set to "always on," "always off" or "light only when weighing"
- Remote display can be placed anywhere near the base unit for convenient viewing
- Rugged construction stands up to industrial use
- Large, grade 304 stainless steel pan allows swift cleaning
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- RS-232 interface is available to provide speedy connection to computers and printers
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- Audible overload alarm warns when capacity is exceeded
- Internal counting resolution 1:600,000 for precise results
- Parts counting with freely selectable sample sizes
- Parts counting optimization automatically refines piece weight as parts are added
- Preset tare function speeds the process of repetitive weighing
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy



APPLICATIONS

- Weighing
- Parts counting
- Check counting



Model	GBC 35a	GBC 70a	GBC 130a
Capacity	35lb / 16kg	70lb / 32kg	130lb / 60kg
Readability	0.001lb / 0.5g	0.002lb / 1g	0.005lb / 2g
Tare Range	Full range		
Pan Size	11.8"x15.7" / 300x400mm		
Weighing Units	kg, lb		
Calibration	External calibration		
Display	Backlit LCD with 0.8" / 20mm-high digits		
Power Supply	12VDC 800mA adapter / Internal rechargeable battery		
Overall Dim.	11.8"x20.5"x26.8" / 300x520x680mm (wxdxh)		
Price	\$555.00	\$595.00	\$595.00
Price w/USB	\$630.00	\$670.00	\$670.00

ACCESSORIES

Item number	Description	Price
3052010526	In-use wet cover	\$20.00
3074010266	RS-232 cable (null-modem).....	\$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
1120011156	ATP thermal printer	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10)	\$90.00
600002028	AdamDU data collection program	\$95.00
700200107	Casters / wheels (set of 4)	\$395.00
700660290	Calibration certificate	\$85.00

GFC FLOOR COUNTING SCALES

FEATURES

- Backlit LCD shows weight, unit weight and count in one convenient location
- Programmable backlight can be set to "always on," "always off" or "light only when weighing"
- Remote display can be placed anywhere near the base unit for convenient viewing
- Rugged construction stands up to industrial use
- Large, grade 304 stainless steel pan allows swift cleaning
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- RS-232 interface is available to provide speedy connection to computers and printers
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- Audible overload alarm warns when capacity is exceeded
- Internal counting resolution 1:600,000 for precise results
- Parts counting with freely selectable sample sizes
- Parts counting optimization automatically refines piece weight as parts are added
- Preset tare function speeds the process of repetitive weighing
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy



APPLICATIONS

- Weighing
- Parts counting
- Check counting



Model	GFC 165a	GFC 330a	GFC 660a
Capacity	165lb / 75kg	330lb / 150kg	660lb / 300kg
Readability	0.01lb / 5g	0.02lb / 0.01kg	0.05lb / 0.02kg
Tare Range	Full range		
Pan Size	15.7"x19.7" / 400x500mm		
Weighing Units	kg, lb		
Calibration	External calibration		
Display	Backlit LCD with 0.8" / 20mm-high digits		
Power Supply	12VDC 800mA adapter / Internal rechargeable battery		
Overall Dim.	15.7"x24.4"x33.9" / 400x620x860mm (wx dx h)		
Price	\$695.00	\$695.00	\$795.00
Price w/USB	\$770.00	\$770.00	\$870.00

ACCESSORIES

Item number	Description	Price
3052010526	In-use wet cover	\$20.00
3074010266	RS-232 cable (null-modem)	\$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
1120011156	ATP thermal printer	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10)	\$90.00
600002028	AdamDU data collection program	\$95.00
700200107	Casters / wheels (set of 4)	\$395.00
700660290	Calibration certificate	\$85.00

AFK FLOOR WEIGHING SCALES

FEATURES

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Checkweighing LEDs clearly show under, over and acceptable limits
- Checkweighing with audible alarm
- Parts counting with preset sample sizes
- Hold function freezes the displayed weight, allowing time to elapse without losing the result
- Selectable digital filtering for animal/dynamic weighing enables consistent results for moving subjects
- Rugged construction stands up to industrial use
- Sealed keypad protects against dirt and spills
- Audible overload alarm warns when capacity is exceeded
- Large, grade 304 stainless steel pan allows swift cleaning
- RS-232 interface is available to provide speedy connection to computers and printers
- Rechargeable battery included for operation almost anywhere
- AC adapter included
- Programmable auto power-off to save energy
- Wall-mount bracket for placing indicator on vertical surface



APPLICATIONS

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Dynamic / animal weighing



Model	AFK 165a	AFK 165aH	AFK 330a	AFK 660a	AFK 1320a
Capacity	165lb / 75kg	165lb / 75kg	330lb / 150kg	660lb / 300kg	1320lb / 600kg
Readability	0.01lb / 0.005kg	0.02lb / 0.001kg	0.02lb / 0.01kg	0.05lb / 0.02kg	0.1lb / 0.05kg
Tare Range	Full range				
Pan Size	15.7"x19.7" / 400x500mm				23.6"x31.5" / 600x800mm
Weighing Units	g, kg, lb, lb:oz, oz, N				
Calibration	External calibration				
Display	Backlit LCD with 1.6"/ 40mm-high digits				
Power Supply	12VDC 800mA adapter / Internal rechargeable battery				
Overall Dim.	15.7"x24.4"x31.1" / 400x620x790mm (wxdxh)				23.6"x37"x32.7" / 600x940x830mm (wxdxh)
Price	\$745.00	\$1,015.00	\$745.00	\$795.00	\$1,045.00

ACCESSORIES

Item number	Description	Price
3102311619	In-use wet cover	\$20.00
700400103	RS-232 cable	\$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
3004013214	Light tower kit including relay box	\$760.00
1120011156	ATP thermal printer	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10)	\$90.00
1100011297	AE402 relay box	\$185.00
600002028	AdamDU data collection program	\$95.00
700200107	Casters / wheels (set of 4)	\$395.00
700660290	Calibration certificate	\$85.00
700660288	Calibration certificate (AFK 1320)	\$125.00

GFK FLOOR CHECKWEIGHING SCALES

FEATURES

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Checkweighing LEDs clearly show under, over and acceptable limits
- Checkweighing with audible alarm
- Parts counting with freely selectable sample sizes
- Rugged construction stands up to industrial use
- Large, grade 304 stainless steel pan allows swift cleaning
- Sealed keypad protects against dirt and spills
- RS-232 interface is available to provide speedy connection to computers and printers
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy
- Selectable digital filtering for animal/dynamic weighing enables consistent results for moving subjects



APPLICATIONS

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Check counting
- Dynamic / animal weighing




Model	GFK 165a	GFK 165aH	GFK 330a	GFK 330aH	GFK 660a	GFK 1320a
Capacity	165lb / 75kg	165lb / 75kg	330lb / 150kg	330lb / 150kg	660lb / 300kg	1320lb / 600kg
Readability	0.01lb / 5g	0.002lb / 1g	0.02lb / 0.01kg	0.005lb / 2g	0.05lb / 0.02kg	0.1lb / 0.05kg
Tare Range	Full range*					
Pan Size	15.7"x19.7" / 400x500mm*					23.6"x31.5" / 600x800mm
Weighing Units	g, kg, lb, lb.oz, oz*					
Calibration	External calibration*					
Display	Backlit LCD with 0.8" / 20mm-high digits*					
Power Supply	12VDC 800mA adapter / Internal rechargeable battery*					
Overall Dim.	15.7"x24.4"x33.9" / 400x620x860mm (wxdxh)*					23.6"x37"x35.4" / 600x940x900mm (wxdxh)
Price	\$625.00	\$895.00	\$625.00	\$895.00	\$675.00	\$925.00
Price w/ USB	\$700.00	\$970.00	\$700.00	\$970.00	\$750.00	\$1,000.00

Model	GFK 150aM	GFK 300aM	GFK 600aM
Capacity	150lb / 60kg	300lb / 150kg	660lb / 300kg
Readability	0.02lb / 0.01kg	0.05lb / 0.02kg	0.1lb / 0.05kg
Approvals	NTEP / Measurement Canada		
Price	\$675.00	\$675.00	\$725.00

ACCESSORIES

Item number	Description	Price
3052010526	In-use wet cover	\$20.00
3074010266	RS-232 cable (null-modem)	\$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
1120011156	ATP thermal printer	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10)	\$90.00
600002028	AdamDU data collection program	\$95.00
700200107	Casters / wheels (set of 4)	\$395.00
700660290	Calibration certificate	\$85.00
700660288	Calibration certificate (GFK 1320)	\$125.00

WARRIOR® WASHDOWN SCALES



FEATURES

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- IP66-rated for protection against water and dust
- Sealed keypad protects against dirt and spills
- Selectable digital filtering for animal/dynamic weighing enables consistent results for moving subjects
- Checkweighing LEDs clearly show under, over and acceptable limits
- Rugged stainless steel construction for ultimate durability
- Heavy-duty rubber feet ensure stability of unit
- Large, grade 304 stainless steel pan allows swift cleaning
- Rechargeable battery included for operation almost anywhere
- AC adapter included
- Programmable auto power-off to save energy
- Optional RS-232 interface is available to provide speedy connection to computers and printers

APPLICATIONS

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Dynamic / animal weighing

ACCESSORIES

Item number	Description	Price
3102311619	In-use wet cover	\$20.00
3004013214	Light tower kit including relay box	\$760.00
1120011156	ATP thermal printer	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10)	\$90.00
3134012936	RS-232 Cable to 9pin D connector 1.5m (factory fitted)	\$115.00
3134012941	RS-232 Cable to ATP Printer 1.5m (factory fitted)	\$115.00
1100011297	AE402 relay box	\$185.00
600002028	AdamDU data collection program	\$95.00
700660290	Calibration certificate	\$85.00



WFK



WLK



Model	WSK 16a	WSK 35a	WSK 70a	WBK 70a	WBK 70aH	WBK 165a
Capacity	16lb / 8kg	35lb / 16kg	70lb / 32kg	70lb / 32kg	70lb / 32kg	165lb / 75kg
Readability	0.001lb / 0.5g	0.002lb / 1g	0.005lb / 2g	0.005lb / 2g	0.002lb / 1g	0.01lb / 5g
Tare Range	Full range					
Pan Size	9.8"x9.8" / 250x250mm			11.8"x15.7" / 300x400mm		
Weighing Units	g, kg, lb, lb:oz, oz, N					
Calibration	External calibration					
Display	Backlit LCD with 1.6" / 40mm-high digits					
Power Supply	12VDC 800mA adapter / Internal rechargeable battery					
Overall Dim.	9.8"x13.6"x20.9" / 250x345x532mm (wxdxh)			11.8"x19.7"x23.1" / 300x500x587mm (wxdxh)		
Price	\$875.00	\$875.00	\$875.00	\$975.00	\$1,125.00	\$975.00

Model	WFK 165a	WFK 165aH	WFK 330a	WLK 330a
Capacity	165lb / 75kg	165lb / 75kg	330lb / 150kg	330lb / 150kg
Readability	0.01lb / 5g	0.002lb / 1g	0.02lb / 0.01kg	0.02lb / 0.01kg
Tare Range	Full range			
Pan Size	15.7"x19.7" / 400x500mm			17.7"x23.6" / 450x600mm
Weighing Units	g, kg, lb, lb:oz, oz, N			
Calibration	External calibration			
Display	Backlit LCD with 1.6"/ 40mm -high digits			
Power Supply	12VDC 800mA adapter / Internal rechargeable battery			
Overall Dim.	15.7"x23.2"x38.3" / 400x590x972mm (wxdxh)			17.7"x27.6"x38.3" / 450x700x972mm (wxdxh)
Price	\$1,325.00	\$1,475.00	\$1,325.00	\$1,525.00

FEATURES

- Bright LED display for easy viewing in most environments
- Rotating hook allows easy access while loading, then safely locks in place during weighing
- Remote control allows safe, hands-free operation
- Rugged construction stands up to industrial use
- Hold function freezes the displayed weight, allowing time to elapse without losing the result
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy
- AC adapter included



APPLICATIONS

- Weighing



Model	SHS 100a	SHS 300a	SHS 600a
Capacity	100lb / 50kg	300lb / 150kg	600lb / 300kg
Readability	0.02lb / 0.01kg	0.05lb / 0.02kg	0.1lb / 0.05kg
Tare Range	Full range		
Weighing Units	kg, lb		
Calibration	External calibration		
Display	LED with 0.6" / 15mm-high digits		
Power Supply	AC adapter / 4 x AA batteries / Internal rechargeable battery		
Overall Dim.	5.8"x2.6"x12.6" / 148x65x320mm (wxdxh)		
Price	\$455.00	\$465.00	\$475.00

ACCESSORIES

Item number	Description	Price
700660290	Calibration certificate.....	\$85.00

LHS CRANE SCALES

FEATURES

- Bright LED display for easy viewing in most environments
- Rotating hook allows easy access while loading, then safely locks in place during weighing
- Rugged construction stands up to industrial use
- Robust metal housing protects internal components in harsh environments
- Remote control allows safe, hands-free operation
- Hold function freezes the displayed weight, allowing time to elapse without losing the result
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy
- AC adapter included



APPLICATIONS

- Weighing



Model	LHS 1000a	LHS 3000a	LHS 4000a
Capacity	1000lb / 500kg	3000lb / 1500kg	4000lb / 2000kg
Readability	0.2lb / 0.1kg	0.5lb / 0.2kg	1lb / 0.5kg
Tare Range	Full range		
Weighing Units	kg, lb		
Calibration	External calibration		
Display	LED with 1" / 25mm-high digits		
Power Supply	AC adapter / Internal rechargeable battery		
Overall Dim.	7.7"x5.1"x17.7" / 195x130x450mm (wxdxh)		
Price	\$575.00	\$625.00	\$845.00

ACCESSORIES

Item number	Description	Price
700660288	Calibration certificate.....	\$125.00

IHS CRANE SCALES

FEATURES

- Bright LED display for easy viewing in most environments
- Rotating hook allows easy access while loading, then safely locks in place during weighing
- Sealed keypad protects against dirt and spills
- Remote control allows safe, hands-free operation
- Rugged construction stands up to industrial use
- Robust metal housing protects internal components in harsh environments
- Hold function freezes the displayed weight, allowing time to elapse without losing the result
- Rechargeable battery included for operation almost anywhere
- Auto power-off to save energy



APPLICATIONS

- Weighing



Model	IHS 2a	IHS 6a	IHS 10a	IHS 20a
Capacity	2000lb / 1000kg	6000lb / 3000kg	10000lb / 5000kg	20000lb / 10000kg
Readability	0.5lb / 0.2kg	1lb / 0.5kg	2lb / 1kg	5lb / 2kg
Tare Range	Full range			
Weighing Units	kg, lb			
Calibration	External calibration			
Display	LED with 1.2" / 30mm-high digits			
Power Supply	7.2VDC 2A adapter / Internal rechargeable battery			
Overall Dim.	10.2"x8.4"x24.7" / 260x214x628mm (wx dxh)			
Price	\$1,125.00	\$1,225.00	\$1,425.00	\$2,125.00


ACCESSORIES

Item number	Description	Price
700660288	Calibration certificate.....	\$125.00

GB & GF PLATFORMS

FEATURES

- Rugged construction stands up to industrial use
- Overload protection helps prevent damage to internal components
- Large, grade 304 stainless steel pan allows swift cleaning
- Can be used with any Adam indicators
- Stainless steel platform for added durability
- Single point load cell and cast-aluminum base is solid for industrial applications
- Easily connect to Adam's CBD counting scale for dual counting operations



APPLICATIONS

- Weighing

Model	GB 35a	GB 70a	GB 130a	GB 260a
Capacity	35lb / 16kg	70lb / 32kg	130lb / 60kg	260lb / 120kg
Readability	0.001lb / 0.5g	0.002lb / 1g	0.005lb / 2g	0.01lb / 5g
Pan Size	11.8"x15.7" / 300x400mm			
Overall Dim.	11.8"x20.5"x2.6" / 300x520x65mm (wxdxh)			
Price	\$375.00	\$375.00	\$375.00	\$375.00

Model	GF 165a	GF 330a	GF 660a	GF 1320a
Capacity	165lb / 75kg	330lb / 150kg	660lb / 300kg	1320lb / 600kg
Readability	0.01lb / 5g	0.02lb / 0.01kg	0.05lb / 0.02kg	0.1lb / 0.05kg
Pan Size	15.7"x19.7" / 400x500mm			23.6"x31.5" / 600x800mm
Overall Dim. (wxdxh)	15.7"x19.7"x2.6" / 400x500x65mm			23.6"x31.5"x2.8" / 600x800x70mm
Price	\$395.00	\$395.00	\$495.00	\$695.00

AELP PALLET BEAMS

FEATURES

- Low-profile beams allow easy pallet weighing using pallet trucks
- Approximately five-meter/15-foot shielded cable
- Integrated wheels permit easy movement
- Two beams per set

APPLICATIONS

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Check counting
- Dynamic / animal weighing



GKa Indicator



Model	AELP 1000	AELP 2000	AELP 1000 [GKa]	AELP 2000 [GKa]
Capacity	2200lb / 1000kg	4400lb / 2000kg	2200lb / 1000kg	4400lb / 2000kg
Readability	0.5lb / 0.2kg	1lb / 0.5kg	0.5lb / 0.2kg	1lb / 0.5kg
Tare Range	N/A		Full range	
Pan Size	4.7"x52.4" / 120x1330mm			
Weighing Units	N/A		kg, lb, lb:oz, oz, N	
Calibration	External calibration			
Display	N/A		Backlit LCD with 0.8"/ 20mm-high digits	
Power Supply	N/A		Power cord / Internal rechargeable battery	
Operating Temperature	-10° to 40°C / 14° to 104°F			
Overall Dim.	4.7"x52.4"x3.3" / 120x1330x85mm (wxdxh)			
Price	\$900.00	\$900.00	\$1,095.00	\$1,095.00

ACCESSORIES

Item number	Description	Price
3052010526	In-use wet cover	\$20.00
3074010266	RS-232 cable (null-modem).....	\$35.00
700400103	RS-232 cable	\$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
1120011156	ATP thermal printer	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10)	\$90.00
600002028	AdamDU data collection program	\$95.00
2050013351	Indicator stand	\$175.00
700660289	Calibration certificate	\$145.00

PTS PALLET TRUCK SCALE

FEATURES

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Programmable backlight can be set to "always on," "always off" or "light only when weighing"
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Splash-proof housing, keypad and display are easy to clean
- Wheel swivels, allowing easy movement
- Checkweighing with audible alarm
- Checkweighing LEDs clearly show under, over and acceptable limits
- Parts counting with preset sample sizes
- Audible overload alarm warns when capacity is exceeded
- RS-232 interface is available to provide speedy connection to computers and printers
- Selectable auto-clear function enables the last item to be reset each time the scale returns to zero
- Rechargeable battery included for operation almost anywhere
- AC adapter included
- Auto power-off to save energy
- Solid non-marring polyurethane wheels



APPLICATIONS

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Dynamic / animal weighing



Model		PTS 5000a [AE402]
Capacity		5000lb / 2000kg
Readability		1lb / 0.5kg
Tare Range		Full range
Pan Size		6.3"x47.2" / 160x1200mm
Weighing Units		kg, lb, lb:oz, oz, N
Calibration		External calibration
Display		Backlit LCD with 1.6" / 40mm-high digits
Power Supply		12VDC 800mA adapter / Internal rechargeable battery
Overall Dim.		27.2"x62.2"x46.5" / 690x1580x1180mm (wx dxh)
Price		\$1,695.00

ACCESSORIES

Item number	Description	Price
3102311619	In-use wet cover	\$20.00
700400103	RS-232 cable	\$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
1120011156	ATP thermal printer	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10)	\$90.00
600002028	AdamDU data collection program	\$95.00
700660289	Calibration certificate	\$145.00

PTM DRUM AND WHEELCHAIR SCALE

FEATURES

- Rugged construction stands up to industrial use
- Diamond-plate surface for added grip
- Integrated wheels permit easy movement
- Built-in ramps on each side enable easy access
- Heavy-duty rubber feet ensure stability of unit
- Adjustable leveling feet help optimize setup
- Approximately three-meter/10-foot shielded cable
- Can be used with any Adam indicators
- Ramps allow easy access for wheelchair use



APPLICATIONS

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Dynamic / animal weighing



AE Indicator




GKa Indicator



Model	PTM 500	PTM 500 [AE402]	PTM 500 [GKa]
Capacity	1100lb / 500kg	1100lb / 500kg	1100lb / 500kg
Readability	0.2lb / 0.1kg	0.2lb / 0.1kg	0.2lb / 0.1kg
Tare Range	N/A	Full range	
Pan Size	29.9"x22.8" / 760x580mm		
Weighing Units	N/A	kg, lb, lb:oz, oz, N	
Calibration	N/A	External calibration	
Display	N/A	Backlit LCD with 1.6"/ 40mm-high digits	Backlit LCD with 0.8"/ 20mm-high digits
Power Supply	N/A	12VDC 800mA adapter / Internal rechargeable battery	
Overall Dim. (wx dxh)	40.2"x31.6"x3" / 1020x803x75mm		
Price	\$900.00	\$1,125.00	\$1,095.00

ACCESSORIES

Item number	Description	Price
3074010266	RS-232 cable (null-modem).....	\$35.00
700400103	RS-232 cable	\$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
1120011156	ATP thermal printer	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10)	\$90.00
600002028	AdamDU data collection program	\$95.00
2050013351	Indicator stand	\$175.00
700660288	Calibration certificate.....	\$125.00



AE Indicator



GKa Indicator

FEATURES

- Rugged construction stands up to industrial use
- Diamond-plate surface for added grip
- Approximately three-meter/10-foot shielded cable
- Optional ramps facilitate loading and unloading
- Can be used with any Adam indicators

APPLICATIONS

- Weighing
- Parts counting
- Checkweighing
- Dynamic / animal weighing

ACCESSORIES

Item number	Description	Price
3102311619	In-use wet cover	\$20.00
3052010526	In-use wet cover	\$20.00
3074010266	RS-232 cable (null-modem).....	\$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
1120011156	ATP thermal printer	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10)	\$90.00
700100200	Mild Steel Ramp - PT 12R 1200mm wide	\$275.00
700100201	Mild Steel Ramp - PT 15R 1500mm wide	\$275.00
700100199	Mild Steel Ramp - PT 10R 1000mm wide	\$275.00
2050013351	Indicator stand	\$175.00
700660289	Calibration certificate	\$145.00

PT Platform with GK indicators

SPECIFICATIONS

- Tare Range: Full
- Weighing Units: g, kg, lb, lb:oz, oz
- Calibration: External Calibration
- Display: Backlit LCD with 0.8" / 20mm-high digits
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery



GK& GK M Indicator



Model	PT 110 [GK]	PT 310 [GK]	PT 310-5 [GK]	PT 310-10 [GK]
Capacity	2500lb / 1000kg	5000lb / 3000kg	5000lb / 3000kg	10000lb / 4500kg
Readability	0.5lb / 0.2kg	1.0lb / 0.5kg	1lb / 0.5kg	2lb / 1.0kg
Pan Size	39.4"x39.4" / 1000x1000mm			
Overall Dim.	39.4"x39.4"x4.3" / 1000x1000x110mm (wxdxh)			
Price	\$945.00	\$945.00	\$945.00	\$945.00

Model	PT 112 [GK]	PT 312 [GK]	PT 312-5 [GK]	PT 312-10 [GK]
Capacity	2500lb / 1000kg	5000lb / 3000kg	5000lb / 3000kg	10000lb / 4500kg
Readability	0.5lb / 0.2kg	1.0lb / 0.5kg	1lb / 0.5kg	2.0lb / 1.0kg
Pan Size	47.2"x47.2" / 1200x1200mm			
Overall Dim.	47.2"x47.2"x4.3" / 1200x1200x110mm (wxdxh)			
Price	\$1,095.00	\$1,095.00	\$1,095.00	\$1,095.00

Model	PT 115 [GK]	PT 315 [GK]	PT 315-5 [GK]	PT 315-10 [GK]
Capacity	2500lb / 1000kg	5000lb / 3000kg	5000lb / 3000kg	10000lb / 4500kg
Readability	0.5lb / 0.2kg	1lb / 0.5kg	1lb / 0.5kg	2lb / 1.0kg
Pan Size	59.1"x59.1" / 1500x1500mm			
Overall Dim.	59.1"x59.1"x4.3" / 1500x1500x110mm (wxdxh)			
Price	\$1,295.00	\$1,295.00	\$1,295.00	\$1,295.00

Model	PT 110 [GK M]	PT 310 [GK M]	PT 112 [GK M]	PT 312 [GK M]	PT 115 [GK M]	PT 315 [GK M]
Capacity	2500lb / 1500kg	5000lb / 3000kg	2500lb / 1500kg	5000lb / 3000kg	2500lb / 1500kg	5000lb / 3000kg
Readability	1.0lb / 0.5kg	2.0lb / 1.0kg	0.5lb / 0.5kg	2.0lb / 1.0kg	1.0lb / 0.5kg	1lb / 1.0kg
Pan Size	39.4"x39.4" / 1000x1000mm		47.2"x47.2" / 1200x1200mm		59.1"x59.1" / 1500x1500mm	
Overall Dim.	39.4"x39.4"x4.3" / 1000x1000x110mm (wxdxh)		47.2"x47.2"x4.3" / 1200x1200x110mm (wxdxh)		59.1"x59.1"x4.3" / 1500x1500x110mm (wxdxh)	
Approvals	NTEP / Measurement Canada					
Price	\$1,285.00	\$1,285.00	\$1,285.00	\$1,285.00	\$1,285.00	\$1,285.00

Model	PT 112M [GKaM]	PT 312-5M [GKaM]
Capacity	2500lb / 1000kg	5000lb / 3000kg
Readability	0.5lb / 0.2kg	1lb / 0.5kg
Pan Size	47.2"x47.2" / 1200x1200mm	47.2"x47.2" / 1200x1200mm
Overall Dim.	47.2"x47.2"x4.3" / 1200x1200x110mm (wxdxh)	47.2"x47.2"x4.3" / 1200x1200x110mm (wxdxh)
Approvals	NTEP / Measurement Canada	
Price	\$1,285.00	\$1,285.00

PT Platform with AE 402 indicator

SPECIFICATIONS

- Tare Range: Full
- Weighing Units: g, kg, lb, lb:oz, oz
- Calibration: External Calibration
- Display: Backlit LCD with 1.6"/ 40mm-high digits
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery



AE Indicator



Model	PT 110 [AE402]	PT 310 [AE402]	PT 310-5 [AE402]	PT 310-10 [AE402]
Capacity	2500lb / 1000kg	5000lb / 3000kg	5000lb / 3000kg	10000lb / 4500kg
Readability	0.5lb / 0.2kg	1.0lb / 0.5kg	1lb / 0.5kg	2lb / 1.0kg
Pan Size	39.4"x39.4" / 1000x1000mm			
Overall Dim.	39.4"x39.4"x4.3" / 1000x1000x110mm (wxdxh)			
Price	\$975.00	\$975.00	\$975.00	\$975.00

Model	PT 112 [AE402]	PT 312 [AE402]	PT 312-5 [AE402]	PT 312-10 [AE402]
Capacity	2500lb / 1000kg	5000lb / 3000kg	5000lb / 3000kg	10000lb / 4500kg
Readability	0.5lb / 0.2kg	1.0lb / 0.5kg	1lb / 0.5kg	2.0lb / 1.0kg
Pan Size	47.2"x47.2" / 1200x1200mm			
Overall Dim.	47.2"x47.2"x4.3" / 1200x1200x110mm (wxdxh)			
Price	\$1,125.00	\$1,125.00	\$1,125.00	\$1,125.00

Model	PT 115 [AE402]	PT 315 [AE402]	PT 315-5 [AE402]	PT 315-10 [AE402]
Capacity	2500lb / 1000kg	5000lb / 3000kg	5000lb / 3000kg	10000lb / 4500kg
Readability	0.5lb / 0.2kg	1lb / 0.5kg	1lb / 0.5kg	2lb / 1.0kg
Pan Size	59.1"x59.1" / 1500x1500mm			
Overall Dim.	59.1"x59.1"x4.3" / 1500x1500x110mm (wxdxh)			
Price	\$1,325.00	\$1,325.00	\$1,325.00	\$1,325.00

PT Platform – Base only

FEATURES

- Rugged construction stands up to industrial use
- Diamond-plate surface for added grip
- Approximately three-meter/10-foot shielded cable
- Optional ramps facilitate loading and unloading
- Can be used with any Adam indicators

APPLICATIONS

- Weighing
- Parts counting
- Checkweighing
- Dynamic / animal weighing

Model	PT 110	PT 310	PT 310-5	PT 310-10
Capacity	2500lb / 1000kg	5000lb / 3000kg	5000lb / 3000kg	10000lb / 4500kg
Readability	0.5lb / 0.2kg	1.0lb / 0.5kg	1lb / 0.5kg	2lb / 1.0kg
Pan Size	39.4"x39.4" / 1000x1000mm			
Overall Dim.	39.4"x39.4"x4.3" / 1000x1000x110mm (wxdxh)			
Price	\$750.00	\$750.00	\$750.00	\$750.00

Model	PT 112	PT 312	PT 312-5	PT 312-10
Capacity	2500lb / 1000kg	5000lb / 3000kg	5000lb / 3000kg	10000lb / 4500kg
Readability	0.5lb / 0.2kg	1.0lb / 0.5kg	1.0lb / 0.5kg	2.0lb / 1.0kg
Pan Size	47.2"x47.2" / 1200x1200mm			
Overall Dim.	47.2"x47.2"x4.3" / 1200x1200x110mm (wxdxh)			
Price	\$900.00	\$900.00	\$900.00	\$900.00

Model	PT 115	PT 315	PT 315-5	PT 315-10
Capacity	2500lb / 1000kg	5000lb / 3000kg	5000lb / 3000kg	10000lb / 4500kg
Readability	0.5lb / 0.2kg	1.0lb / 0.5kg	1lb / 0.5kg	2lb / 1.0kg
Pan Size	59.1"x59.1" / 1500x1500mm			
Overall Dim.	59.1"x59.1"x4.3" / 1500x1500x110mm (wxdxh)			
Price	\$1,100.00	\$1,100.00	\$1,100.00	\$1,100.00

Model	PT 112M	PT 312-5M
Capacity	2500lb / 1000kg	5000lb / 3000kg
Readability	0.5lb / 0.2kg	1lb / 0.5kg
Pan Size	47.2"x47.2" / 1200x1200mm	
Overall Dim.	47.2"x47.2"x4.3" / 1200x1200x110mm (wxdxh)	
Approvals	NTEP approved	
Price	\$1,050.00	\$1,050.00

PT STAINLESS STEEL PLATFORMS WITH AE INDICATOR

FEATURES


- IP66-rated for protection against water and dust
- Rugged stainless steel construction for ultimate durability
- Approximately three-meter/10-foot shielded cable
- Heavy-duty rubber feet ensure stability of unit

APPLICATIONS

- Weighing
- Parts counting
- Checkweighing
- Dynamic / animal weighing

SPECIFICATIONS

- Tare Range: Full
- Weighing Units: g, kg, lb, lb:oz, oz
- Calibration: External Calibration
- Display: Backlit LCD with 1.6" / 40mm-high digits
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery



AE Indicator

Model	PT 110S [AE402]	PT 310S [AE402]	PT 310-5S [AE402]	PT 310-10S [AE402]
Capacity	2500lb / 1000kg	5000lb / 3000kg	5000lb / 3000kg	10000lb / 4500kg
Readability	0.5lb / 0.2kg	1lb / 0.5kg	1lb / 0.5kg	2lb / 1kg
Pan Size	39.4"x39.4" / 1000x1000mm			
Overall Dim.	39.4"x39.4"x4.3" / 1000x1000x110mm (wxdxh)			
Price	\$2,125.00	\$2,125.00	\$2,125.00	\$2,125.00

Model	PT 112S [AE402]	PT 312S [AE402]	PT 312-5S [AE402]	PT 312-10S [AE402]
Capacity	2500lb / 1000kg	5000lb / 3000kg	5000lb / 3000kg	10000lb / 4500kg
Readability	0.5lb / 0.2kg	1lb / 0.5kg	1lb / 0.5kg	2lb / 1kg
Pan Size	47.2"x47.2" / 1200x1200mm			
Overall Dim.	47.2"x47.2"x4.3" / 1200x1200x110mm (wxdxh)			
Price	\$2,500.00	\$2,500.00	\$2,500.00	\$2,500.00

Model	PT 115S [AE402]	PT 315S [AE402]	PT 315-5S [AE402]	PT 315-10S [AE402]
Capacity	2500lb / 1000kg	5000lb / 3000kg	5000lb / 3000kg	10000lb / 4500kg
Readability	0.5lb / 0.2kg	1lb / 0.5kg	1lb / 0.5kg	2lb / 1kg
Pan Size	59.1"x59.1" / 1500x1500mm			
Overall Dim.	59.1"x59.1"x4.3" / 1500x1500x110mm (wxdxh)			
Price	\$2,900.00	\$2,900.00	\$2,900.00	\$2,900.00

PT Stainless Steel Platform – Base only

FEATURES

- IP66-rated for protection against water and dust
- Rugged stainless steel construction for ultimate durability
- Approximately three-meter/10-foot shielded cable
- Heavy-duty rubber feet ensure stability of unit

APPLICATIONS

- Weighing
- Parts counting
- Checkweighing
- Dynamic / animal weighing

Model	PT 110S	PT 310S	PT 310-SS	PT 310-10S
Capacity	2500lb / 1000kg	5000lb / 3000kg	5000lb / 3000kg	10000lb / 4500kg
Readability	0.5lb / 0.2kg	1lb / 0.5kg	1lb / 0.5kg	2lb / 1kg
Pan Size	39.4"x39.4" / 1000x1000mm			
Weighing Units	g, kg, lb, lb:oz, oz, N			
Overall Dim.	39.4"x39.4"x4.3" / 1000x1000x110mm (wxdxh)			
Price	\$1,900.00	\$1,900.00	\$1,900.00	\$1,900.00

Model	PT 112S	PT 312S	PT 312-SS	PT 312-10S
Capacity	2500lb / 1000kg	5000lb / 3000kg	5000lb / 3000kg	10000lb / 4500kg
Readability	0.5lb / 0.2kg	1lb / 0.5kg	1lb / 0.5kg	2lb / 1kg
Pan Size	47.2"x47.2" / 1200x1200mm			
Weighing Units	g, kg, lb, lb:oz, oz, N			
Overall Dim.	47.2"x47.2"x4.3" / 1200x1200x110mm (wxdxh)			
Price	\$2,275.00	\$2,275.00	\$2,275.00	\$2,275.00

Model	PT 115S	PT 315S	PT 315-SS	PT 315-10S
Capacity	2500lb / 1000kg	5000lb / 3000kg	5000lb / 3000kg	10000lb / 4500kg
Readability	0.5lb / 0.2kg	1lb / 0.5kg	1lb / 0.5kg	2lb / 1kg
Pan Size	59.1"x59.1" / 1500x1500mm			
Weighing Units	g, kg, lb, lb:oz, oz, N			
Overall Dim.	59.1"x59.1"x4.3" / 1500x1500x110mm (wxdxh)			
Price	\$2,675.00	\$2,675.00	\$2,675.00	\$2,675.00

ACCESSORIES

Item number	Description	Price
700100203	Stainless Steel Ramp - PT 12RS 1200mm wide	\$375.00
700100204	Stainless Steel Ramp - PT 15RS 1500mm wide	\$375.00
700100202	Stainless Steel Ramp - PT 10RS 1000mm wide	\$375.00
2050013351	Indicator stand	\$175.00
700660289	Calibration certificate	\$145.00

AE INDICATOR

FEATURES

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- User-selectable scale division
- IP66-rated for protection against water and dust
- Robust metal housing protects internal components in harsh environments
- Hold function freezes the displayed weight, allowing time to elapse without losing the result
- Checkweighing with audible alarm
- Parts counting with preset sample sizes
- Selectable digital filtering for animal/dynamic weighing enables consistent results for moving subjects
- Wall-mount bracket for placing indicator on vertical surface
- RS-232 interface is available to provide speedy connection to computers and printers
- Rechargeable battery included for operation almost anywhere
- AC adapter included
- Programmable auto power-off to save energy



APPLICATIONS

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Dynamic / animal weighing



Model	AE 402
Capacity	Selectable
Readability	Selectable
Tare Range	Full range
Weighing Units	g, kg, lb, lb:oz, oz, N
Calibration	External calibration
Display	Backlit LCD with 1.6" / 40mm-high digits
Power Supply	12VDC 800mA adapter / Internal rechargeable battery
Overall Dim.	9.4"x5.7"x3.7" / 240x145x95mm (wxdxh)
Price	\$260.00

ACCESSORIES

Item number	Description	Price
3102311619	In-use wet cover	\$20.00
700400103	RS-232 cable	\$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
3004013214	Light tower kit including relay box	\$760.00
1120011156	ATP thermal printer	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10)	\$90.00
1100011297	AE402 relay box	\$185.00
600002028	AdamDU data collection program	\$95.00
2050013351	Indicator stand	\$175.00

FEATURES

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- RS-232 interface is available to provide speedy connection to computers and printers
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- Wall-mount bracket for placing indicator on vertical surface
- Checkweighing with audible alarm
- Checkweighing LEDs clearly show under, over and acceptable limits
- Parts counting with freely selectable sample sizes
- Parts counting optimization automatically refines piece weight as parts are added
- Programmable for counting to a preset number of parts
- Preset tare function speeds the process of repetitive weighing
- Selectable digital filtering for animal/dynamic weighing enables consistent results for moving subjects
- Programmable capacity and readability for a variety of applications
- Rechargeable battery included for operation almost anywhere



APPLICATIONS

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Check counting
- Dynamic / animal weighing



Model	GKa	GKaM
Capacity	Selectable	Selectable
Readability	Selectable	Selectable
Tare Range	Full range	
Weighing Units	kg, lb, lb:oz, oz, N	
Calibration	External calibration	
Display	Backlit LCD with capacity tracker with 0.8" / 20mm-high digits	
Power Supply	Internal rechargeable battery / 12VDC 800mA adapter	
Overall Dim.	10.2"x6.7"x4.5" / 260x170x115mm (wxdxh)	
Approvals	N/A	NTEP / Measurement Canada
Price	\$225.00	\$265.00

ACCESSORIES

Item number	Description	Price
3052010526	In-use wet cover	\$20.00
305200001	In-use wet cover (pack of 5)	\$85.00
305200002	In-use wet cover (pack of 10)	\$150.00
3074010266	RS-232 cable (null-modem).....	\$35.00
3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
1120011156	ATP thermal printer	\$335.00
3126011263	ATP thermal printer paper	\$14.00
3126011281	ATP thermal printer paper (pack of 10)	\$90.00
600002028	AdamDU data collection program	\$95.00
2050013351	Indicator stand	\$175.00

AdamDU - Data Collection Software

Practical Functionality – Smart Features

- Monitor and collect data readings for up to 8 balances or scales simultaneously.
- Record custom data or notations along with readings using up to 6 user-defined fields.
- Log calibration reports to file for maintaining complete calibration records.
- Collect date and time with readings.
- Collect balance serial number with readings for unique identification.
(Feature may not be available with all balances and scale).
- Configure AdamDU to remember individual session settings and file names.




Statistics and Graphing

- View statistics including Min, Max, Median, Mean, Variance, and Standard Deviation.
- Graph readings in real time. Print results and graphs from within the AdamDU application.
- Quickly search for a specific reading, min, or max readings

Easy Data Management


- Dynamically export readings in several file formats (text, CSV, HTML, XML) for importing to other systems or applications.
- Export captured readings automatically to Microsoft® Excel® or Microsoft® Word® for further analysis or reporting.
- Export captured readings to Windows® Clipboard for quick pasting in Windows® applications.



The Commander window lets you view data for up to 8 balances or scales on one screen for an overview of the active data sessions.

*You need a licensed copy of Microsoft® Word and Microsoft® Excel to use this facility

Microsoft Word, Microsoft Excell, Microsoft and Windows is a registered trademark of Microsoft Corporation in the United States and other countries.



Real time graphing and statistics are easily viewable in the data grid. Balance control buttons let you request data or tare the balance right from the software.

Six user-defined fields are available for custom data entry with each reading. Custom data can be exported with the weighing data.

Part Number	Model	Price
600002028	Adam DU data collection program	\$95.00

Accessories

ATP Thermal Printer



FEATURES

- Interface capabilities: serial port
- Support for up to 26 international character sets
- Print size 24 x 24 dot
- Column size 384 dots per line
- Print speed 50mm / sec
- 57.5mm paper width
- Selectable baud rates
- LED indicators to show power, error and when out of paper

Part Number	Model	Price
1120011156	ATP Adam thermal printer	\$335.00

Indicator Stand



The indicator stand holds a scale's indicator when it is separate from the body of the scale. Constructed of aluminum, the stand is lightweight yet sturdy enough to provide reliable support for your indicator.

Part Number	Model	Price
2050013351	Indicator Stand	\$175.00

Hard Carry Cases



CPWplus



CBK / CBC / AZextra

FEATURES

- Light weight and scratch resistant outside
- Foam padded interior for a snug fit
- Rugged construction keeps the scale safe
- Key lock latches for security
- Non-slip rubber feet

Part Number	Model	Price
700100099	Hard Carrying Case - CPWplus	\$85.00
302000001	Hard Carrying Case - CBK/CBC/CBD	\$85.00



Stainless steel weight sets

Cast Iron Weight

Stainless steel weight sets

Part Number	Class	Capacity Range	Price
700100354	ASTM 1	1g-200g	\$725.00
700100355	ASTM 1	1g-500g	\$1,155.00
700100357	ASTM 2	1g-200g	\$695.00
700100356	ASTM 2	1g-500g	\$995.00
700100382	ASTM 4	1g-200g	\$495.00
700100383	ASTM 4	1g-500g	\$795.00
700100384	ASTM 4	1g-1kg	\$1,050.00

Individual stainless steel weights

Part Number	Class	Capacity	Price
700100186	ASTM 0	100	\$180.00
700100188	ASTM 1	200	\$95.00
700100189	ASTM 1	500	\$125.00
700100191	ASTM 1	2000	\$315.00
700100187	ASTM 2	100	\$65.00
700100190	ASTM 2	1000	\$125.00
700100194	ASTM 3	50	\$50.00
700100195	ASTM 3	200	\$65.00
700100193	ASTM 3	5000	\$325.00
700100192	ASTM 4	2000	\$125.00
700100347	ASTM 1	1	\$70.00
700100348	ASTM 1	2	\$75.00
700100349	ASTM 1	5	\$80.00
700100350	ASTM 1	10	\$85.00
700100351	ASTM 1	50	\$90.00
700100352	ASTM 1	100	\$95.00
700100353	ASTM 1	1000	\$335.00
700100358	ASTM 2	1	\$60.00
700100359	ASTM 2	2	\$65.00
700100360	ASTM 2	5	\$70.00

Part Number	Class	Capacity	Price
700100361	ASTM 2	10	\$75.00
700100362	ASTM 2	50	\$80.00
700100363	ASTM 2	200	\$90.00
700100364	ASTM 2	500	\$115.00
700100365	ASTM 2	2000	\$375.00
700100366	ASTM 3	1	\$50.00
700100367	ASTM 3	2	\$55.00
700100368	ASTM 3	5	\$60.00
700100369	ASTM 3	10	\$65.00
700100370	ASTM 3	100	\$75.00
700100371	ASTM 3	500	\$105.00
700100372	ASTM 3	1000	\$195.00
700100373	ASTM 3	2000	\$315.00
700100374	ASTM 4	10	\$55.00
700100375	ASTM 4	50	\$60.00
700100376	ASTM 4	100	\$65.00
700100377	ASTM 4	200	\$70.00
700100378	ASTM 4	500	\$95.00
700100379	ASTM 4	1000	\$175.00
700100380	ASTM 4	5000	\$495.00
700100381	ASTM 4	10000	\$1,025.00

www.adamequipment.com

Adam Equipment inc
1 Fox Hollow Road,
Oxford, CT 06478
U.S.A.

Phone: 203-790-4774

Fax: 203-792-3406

E-mail: sales@adamequipment.com



NA Industrial 7077

Adam Equipment follows a policy of continuous improvement and reserves the right to change specification and pricing without notice. Adam Equipment's standard terms and conditions of sale apply. Errors and omissions excepted.

©Adam Equipment. All rights reserved.