

NORTH AMERICAN WINE & SPIRITS GUIDE

Offering premium stocks for the wine and spirits market. Materials are available in elegant textures and diverse colors and provide high quality performance against wet, cold, ice bucket and humid environments.

The portfolio includes embossed, felt marked, pearlescent, laid, uncoated, coated, waterproof, alternative fibers and recycled content papers.

Materials are available in roll and sheet formats.

ACUCOTE MANTER



UNCOATED

Product		Basis Wt.	Width	Minimum Order Size	Tier
Black Tuxedo Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE4216	73#	59.06"	NT 10,000'	Common
Moonlight / SH9020 / 1.2 mil PET*	WNE0493	80#	59.06"	Contact Rep	Unique
Nature Paper White WS / SH6020 Plus / 1.2 mil PET*	WNE0223	60#	78.74"	TC	Emerging
Polar White Ultra WS-X / SH6020 Plus / 1.2 mil PET*	WNE4399	73#	39.37"	NT 10,000'	Core
Sorolla H+O WS / SH6020 Plus / 1.2 mil PET*	WNE0271	66#	78.74"	NT 10,000'	Common
Sorolla H+O Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE0274	79#	78.74"	NT 10,000'	Core
Sorolla H+O Ultra WS / SH9020 / 1.2 mil PET*	WNE0276	79#	78.74"	NT 10,000'	Core
Uncoated White Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE0358	73#	78.74"	TC	Emerging

COATED

Product		Basis Wt.	Width	Minimum Order Size	Tier
54# Metalized Paper / SH9020 / 1.2 mil PET*	WNE0563	54#	59.06"	TC	Emerging
Bright Foil 180 Ultra WS / AP907 / 1.2 mil PET*	WNE4352	138#	39.37"	Contact Rep	Unique
Coated Premium 90 / SH6020 Plus / 1.2 mil PET*	WNE4122	60#	78.74"	NT 10,000'	Common
Coated Premium 90 / SH9020 / 1.2 mil PET*	WNE4066	60#	39.37"	TC	Emerging
Coated Snow Matt / SH6020 Plus / 50# GLS*	WNE0054	60#	39.37"	Contact Rep	Unique
Splendorlux Color Nero WS / SH6020 Plus / 50# GLS*	WNE0277	54#	39.37"	Contact Rep	Unique
Supermatt Ultra WS / SH6020 Plus / 50# GLS*	WNE0883	73#	78.74"	TC	Emerging
Supermatt Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE0870	73#	39.37"	Contact Rep	Unique

NECK LABEL

Product		Basis Wt.	Width	Minimum Order Size	Tier
Black Tie Neck Label WS / AP1300 / 1.2 mil PET*	WNE4338	47#	59.06"	TC	Innovation
Cast Gloss Neck Label WS / SH6020 Plus / 1.2 mil PET*	WNE4111	54#	78.74"	NT 5,000'	Core
Constellation Jade Raster Neck Label H+O Ultra WS / AP907 / 1.2 mil PET*	WNE1228	73#	39.37"	TC	Innovation
Sorolla Neck Label H+O WS / AP1300 / 1.2 mil PET*	WNE1259	54#	39.37"	NT 5,000'	Common
Tintoretto Gesso Neck Label H+O WS / AP1300 / 1.2 mil PET*	WNE1160	54#	39.37"	NT 5,000'	Common

PEARLESCENT

Product		Basis Wt.	Width	Minimum Order Size	Tier
Sirio Pearl Ice White Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE0261	73#	78.74"	TC	Common
Sirio Pearl Oyster Shell Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE0477	73#	39.37"	TC	Emerging

cont.

Maximum roll length is 15,000' out of NC, TX, OH and 10,000' out of PA, CA

TC - Tasting Club 834 - Minimum Order Size is Master Width x 834'

NT - No Trim - Minimum Order Size 6" x 10,000' or 6" x 5,000'

*FSC® Certified available - must specify FSC® Certified when ordering materials.

TEXTURED

Product		Basis Wt.	Width	Minimum Order Size	Tier
Acquerello Bianco Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE4201	73#	39.37"	TC	Emerging
Brillante White Felt 30% PCW WS / SH6020 Plus / 1.2 mil PET*	WNE4592	70#	60"	NT 10,000'	Core
Constellation Jade Intreccio H+O Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE1235	73#	39.37"	TC	Emerging
Constellation Jade Raster H+O WS / SH6020 Plus / 1.2 mil PET*	WNE1247	60#	78.74"	NT 10,000'	Common
Constellation Jade Raster H+O Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE1241	73#	78.74"	NT 10,000'	Core
Constellation Jade Raster H+O Ultra WS / SH6020 Plus / 50# GLS*	WNE1239	73#	78.74"	Contact Rep	Unique
Constellation Jade Satin H+O WS / SH6020 Plus / 1.2 mil PET*	WNE1251	60#	39.37"	Contact Rep	Unique
Constellation Jade Silk H+O Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE1256	73#	39.37"	TC	Common
Constellation Snow Country Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE0474	73#	39.37"	TC	Common
Constellation Snow Sacco Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE0472	73#	39.37"	TC	Common
Constellation Snow Vergata Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE0473	73#	39.37"	TC	Emerging
Inverness White Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE0490	73#	39.37"	TC	Emerging
Luminous White Felt X-Dry Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE1074	84#	59.06"	TC	Emerging
Martele White H+O WS / SH9020 / 1.2 mil PET*	WNE4288	60#	78.74"	Contact Rep	Unique
Pegasus Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE0487	80#	59.06"	Contact Rep	Unique
Tintoretto Black Pepper Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE0308	77#	78.74"	NT 10,000'	Core
Tintoretto Gesso H+O WS / SH6020 Plus / 1.2 mil PET*	WNE0331	63#	78.74"	NT 10,000'	Common
Tintoretto Gesso H+O Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE0336	77#	78.74"	NT 10,000'	Core
Tintoretto Gesso H+O Ultra WS / SH9020 / 1.2 mil PET*	WNE0338	77#	78.74"	NT 10,000'	Core
Tintoretto Crystal Salt H+O Ultra WS - X / SH6020 Plus / 1.2 mil PET*	WNE4371	77#	78.74"	NT 10,000'	Common
Tintoretto Ivory H+O Ultra WS / SH6020 Plus / 50# GLS*	WNE0429	77#	39.37"	TC	Emerging

GREASEPROOF

Product		Basis Wt.	Width	Minimum Order Size	Tier
Tintoretto Gesso Greaseproof / SH6020 Plus / 50# GLS*	WNE0327	63#	39.37"	TC	Emerging
Tintoretto Pearl Greaseproof / SH6020 Plus / 50# GLS*	WNE0350	67#	39.37"	Contact Rep	Unique

WASH OFF

Product		Basis Wt.	Width	Minimum Order Size	Tier
Sorolla H+O WS / FW8000 / 1.2 mil PET*	WNE4260	66#	78.74"	TC	Innovation

Maximum roll length is 15,000' out of NC, TX, OH and 10,000' out of PA, CA

TC - Tasting Club 834 - Minimum Order Size is Master Width x 834'

NT - No Trim - Minimum Order Size 6" x 10,000' or 6" x 5,000'

*FSC® Certified available - must specify FSC® Certified when ordering materials.

ACUCOTE **MANTER**

800.228.2683 Graham, NC

2

FSC® C-138765

selfadhesives.fedrigoni.com/acucote

SUSTAINABLE OFFERINGS

ALTERNATIVE FIBER BLENDS

Product		Basis Wt.	Width	Minimum Order Size	Tier
Bereber Sand Ultra WS / SH6020 Plus /1.2 mil PET*	WNE0489	73#	39.37"	TC	Common
Freelife Merida White Ultra WS / SH6020 Plus /1.2 mil PET*	WNE4345	80#	39.37"	TC	Emerging
Materica Gesso Ultra WS / SH6020 Plus /1.2 mil PET*	WNE4164	73#	39.37"	TC	Emerging
Materica Pitch Ultra WS / SH6020 Plus / 50# GLS*	WNE0208	73#	39.37"	Contact Rep	Unique
Materica Verdigris Ultra WS / SH6020 Plus / 50# GLS*	WNE0209	73#	39.37"	Contact Rep	Unique
Mineral Paper / SH6020 Plus / 1.2 mil PET	WNE0210	97#	39.37"	Contact Rep	Unique
Re-Play Nature White WS / AP1300 / .92 mil PET*	WNE4079	67#	39.37"	Contact Rep	Unique
Sacramento Cream Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE0488	83#	39.37"	TC	Common
Savile Row Tweed Camel / SH6020 Plus / 50# GLS*	WNE0246	67#	39.37"	Contact Rep	Unique
Savile Row Tweed White / SH6020 Plus / 50# GLS*	WNE0249	67#	39.37"	Contact Rep	Unique
Woodstock Betulla Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE0485	67#	39.37"	TC	Emerging

100% RECYCLED CONTENT

Product		Basis Wt.	Width	Minimum Order Size	Tier
Sorolla Recycled H+O Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE4130	77#	78.74"	TC	Innovation
Tintoretto Gesso Recycled H+O Ultra WS / SH6020 Plus / 1.2 mil PET*	WNE4128	77#	78.74"	TC	Innovation

ALTERNATIVE FIBERS - MADE FROM TREE FREE RESOURCES

Product		Basis Wt.	Width	Minimum Order Size	Tier
Bagasse Meringue Ultra WS / SH6020 Plus / 1.2 mil PET	WNE0015	73#	39.37" & 78.74"	TC	Common
Cotone Bianco Ultra WS / SH6020 Plus / 50# GLS	WNE0102	87#	78.74"	Contact Rep	Unique
Cotone Bianco Ultra WS / SH6020 Plus / 1.2 mil PET	WNE0103	87#	78.74"	NT 5,000'	Core
Cotone Extra White Ultra WS / SH6020 Plus / 1.2 mil PET	WNE0106	87#	39.37"	NT 5,000'	Common
Cotone Nero Felt Ultra WS / SH6020 Plus / 1.2 mil PET	WNE1019	95#	58.5"	TC	Common
Cotone Sabbia Extra White Ultra WS / SH6020 Plus / 1.2 mil PET	WNE4404	95#	78.74"	TC	Innovation

Maximum roll length is 15,000' out of NC, TX, OH and 10,000' out of PA, CA

TC - Tasting Club 834 - Minimum Order Size is Master Width x 834'

NT - No Trim - Minimum Order Size 6" x 10,000' or 6" x 5,000'

*FSC® Certified available - must specify FSC® Certified when ordering materials.

HIGH TECH TREATMENTS



ULTRA WS™
Ultra WS™ is a polyolefin co-extrusion treatment on the backside of the facestock particularly suitable for white, rosé and sparkling wines, preventing the formation of wrinkles and bubbles and the deformation of the label in the ice bucket and in the event of temperature fluctuations. Furthermore, it increases the adhesion of the label on glass surfaces in damp conditions without increasing the face-stock “memory effect”.



H+OPACITY™
H+Opacity™ technology is specifically designed by Fedrigoni's paper masters to preserve the label's initial opacity and maintain a premium brand image after ice bucket immersion. Added directly to the paper pulp, the high opacity treatment is the perfect solution for white, rosé, sparkling wines and any premium product that calls for a highly performing label that withstands contact with water or ice.



X-DRY™
X-Dry™ technology that is specifically designed to preserve the initial label opacity, integrity and legibility of graphic design after being exposed to extreme temperature changes, making it ideal for wine and spirits, which are often placed in refrigerators and ice buckets.



GREASEPROOF™
Greaseproof™ technology has been specifically designed by Fedrigoni's paper masters and is added to the pulp of the paper to repel drops of oil that may drip down the neck of the bottle and attack the edges of the label. Therefore, the greaseproof treatment allows the self-adhesive paper, and consequently the label, to maintain an impeccable appearance when in contact with oils and grease.

TECHNOLOGY


FAMILY

- Waterproof
- X-Dry™
- H+Opacity Ultra WS™
- H+Opacity™
- Ultra WS™
- Wet Strength™


ICE BUCKET



FRIDGE



OPACITY



Performances may change depending on the product. Please check out our TDS for further information.

ADHESIVES

AP1300

Permanent water-base UV acrylic featuring excellent dimensional stability, wet opacity and resistance to the fridge test. Excellent transformability characteristics. Recommended for bottleneck labels and small diameter bottles in combination with low stiffness facestocks.

SH6020 PLUS

Permanent water based acrylic adhesive. Especially designed for glass containers. It provides good adhesion in wet conditions and in case of temperature fluctuations. It is repositionable within 1 hour from label application.

SH9020

Water-base permanent acrylic adhesive. Especially designed for glass containers. It provides good adhesion in case of temperature fluctuations and excellent resistance when in contact with water or ice. It is not repositionable.

AP907

Solvent permanent adhesive featuring high shear and adhesion even at high temperatures. Good adhesion on a wide variety of surfaces, except for apolar substrates (like PE and PP). Recommended for bottleneck labels and small diameter bottles, even in combination with high grammage facestocks.

FW8000

Permanent acrylic water-washable adhesive. Especially developed for wash off in alkaline water for glass bottle recycling, with good resistance to immersion in water/ice.

Maximum roll length is 15,000' out of NC, TX, OH and 10,000' out of PA, CA
TC - Tasting Club 834 - Minimum Order Size is Master Width x 834'
NT - No Trim - Minimum Order Size 6" x 10,000' or 6" x 5,000'
*FSC® Certified available - must specify FSC® Certified when ordering materials.

