


EVERHARD®
ROOFING TOOLS



PRODUCT CATALOG

HAND TOOLS for MEMBRANE & METAL ROOFING



PATENT PENDING

MEMBRANE PLATE LAYER (MM20260)

Page 19




STAND-N-CUT (MM20240)

Page 14



WALL ROLLER (MR05300)

Page 6



5" X-LONG CUT INSULATION KNIFE (MK46300)

Page 13




CHEK-N-CUT (MM21140)

Page 11

BENT SHEARS
DOUBLE END ROLLERS
FAIRMONT TONGS
HAND-HELD MEMBRANE SLITTER
HAND SEAMERS
INSULATION KNIVES
KLENK® AVIATION SNIPS
MEASURING TOOL
MULTI-TOOLS
PREMIUM SEAM TESTERS
REPLACEMENT SLEEVES
ROOFING MEMBRANE PLATE LAYER
SEAM ROLLER OPTIONS
SILICONE SEAM ROLLERS
SINGLE END ROLLERS
SPECIALIZED BENT SHEARS
SPECIALIZED ROLLERS
STAND-UP MEMBRANE SLITTERS
STANDARD SEAM TESTERS
STEEL MEMBRANE ROLLERS
STEEL SEAM ROLLERS
UTILITY KNIVES

Be sure to click on this, when it appears throughout the catalog, for a more interactive experience.

Click Here to View




SEAM ROLLER OPTIONS

1 ROLLER TYPES




Silicone



Steel

2 WHEEL SIZES

Diameter x Width



1 7/16" x 1 3/4"

2" x 2"

2" x 4"



1 1/2" x 1 1/2"



1 1/2" x 1 1/2"
1/4" Radius



1 1/2" x 2"



1 1/2" x 2"
1/4" Radius



2" x 2"



2" x 2"
1/2" Radius



2" x 2 1/2"



2" x 3"




2" x 4"



2" x 6"

SEAM ROLLER OPTIONS

3 FORK STYLES



Single



Offset



Double

4 HANDLE STYLES



Wood



**Soft Grip Plastic
Plastic**




**Soft Grip Plastic
Convertible***

*Accepts most standard extension handles

SILICONE ROLLERS


SINGLE FORK



Also Available with:




Soft Grip Plastic Handle




Soft Grip Plastic Convertible Handle

MODEL #	FEATURES	DIAMETER	WIDTH	WEIGHT (lbs.)
MR05020	Silicone roller, Wood handle	1 7/16"	1 3/4"	0.60
MR05028	Silicone roller, Soft grip plastic handle	1 7/16"	1 3/4"	0.68
MR05240	Silicone roller, Wood handle	2"	2"	0.96
MR05270	Silicone roller, Soft grip plastic convertible handle	2"	2"	1.10

DOUBLE FORK




Also Available with:



Soft Grip Plastic Convertible Handle

MODEL #	FEATURES	DIAMETER	WIDTH	WEIGHT (lbs.)
MR05110	Silicone roller, Wood handle	2"	4"	1.82
MR05260	Silicone roller, Soft grip plastic convertible handle	2"	4"	2.00


OFFSET FORK



MODEL #	FEATURES	DIAMETER	WIDTH	WEIGHT (lbs.)
MR05022	Left handed version of MR05029	1 7/16"	1 3/4"	0.75
MR05029	Silicone roller, Soft grip plastic handle	1 7/16"	1 3/4"	0.75

STEEL ROLLERS


SINGLE FORK



Also Available with:




Non-Radius Steel Roller




Soft Grip Plastic Convertible Handle

MODEL #	FEATURES	DIAMETER	WIDTH	WEIGHT (lbs.)
MR02130	Steel roller, Soft grip plastic convertible handle	2"	2"	2.42
MR02140	Steel roller, Wood handle	2"	2"	1.75
MR02150	Steel roller with ½" radius edge, Wood handle	2"	2"	1.69
MR02240	Steel roller, Wood handle	1 ½"	2"	1.03
MR02250	Steel roller, Wood handle	1 ½"	1 ½"	0.88
MR02260	Steel roller with ¼" radius edge, Wood handle	1 ½"	2"	1.00
MR02270	Steel roller with ¼" radius edge, Wood handle	1 ½"	1 ½"	0.84

DOUBLE FORK



Also Available with:




Soft Grip Plastic Convertible Handle

MODEL #	FEATURES	DIAMETER	WIDTH	WEIGHT (lbs.)
MR02020	Steel roller, Wood handle	1 ½"	1 ½"	0.91
MR02030	Steel roller, Wood handle	1 ½"	2"	1.09
MR02040	Steel roller, Wood handle	2"	2"	1.81
MR02050	Steel roller, Wood handle	2"	2 ½"	2.16
MR02080	Steel roller, Wood handle	2"	3"	2.70
MR02090	Steel roller, Soft grip plastic convertible handle	2"	4"	3.98
MR02100	Steel roller, Wood handle	2"	4"	3.44
MR02110	Steel roller, Wood handle	2"	6"	4.88
MR02170	Steel roller, Soft grip plastic convertible handle	2"	6"	5.46


SPECIALIZED ROLLERS

ROLL-N-CHEK®



MODEL #	FEATURES	DIAMETER	WIDTH	WEIGHT (lbs.)
MR05018	Silicone roller, Seam tester in wood handle	1 7/16"	1 3/4"	0.80
MR05032	Silicone roller, Seam tester in soft grip plastic handle	1 7/16"	1 3/4"	0.88
MR05033	Left handed version of MR05032	1 7/16"	1 3/4"	0.88


WRIST-SAVER™



MODEL #	FEATURES	DIAMETER	WIDTH	WEIGHT (lbs.)
MR02143	Steel roller, Soft grip plastic handle	2"	2"	2.05
MR02153	Steel roller with 1/2" radius edge, Soft grip plastic handle	2"	2"	2.05
MR05200	Silicone roller, Soft grip plastic handle	1 7/16"	1 3/4"	0.85


SPECIALIZED ROLLERS

WALL ROLLER



MODEL #	FEATURES	DIAMETER	WIDTH	WEIGHT (lbs.)
MR05300	Lightweight silicone roller, Wood handle	1 1/2"	9"	1.92
MR02400	Fiberglass extension handle	1"	60"	1.03


PROFILE DOUBLE ROLLER



MODEL #	FEATURES	DIAMETER	WIDTH	WEIGHT (lbs.)
MR05180	Double silicone roller, Wood handle	1 7/16"	1"	0.80


SPECIALIZED ROLLERS

NYLON CONE




MODEL #	FEATURES	DIAMETER	WIDTH	WEIGHT (lbs.)
MR12860	Nylon cone roller, Wood handle	1 3/8"	4 1/8"	0.56
MR12866	Nylon cone attachment (works with all 1 7/16" diameter silicone rollers)	1 7/16"	2 7/16"	0.11

STAND-UP




MODEL #	FEATURES	DIAMETER	WIDTH	WEIGHT (lbs.)
MR02370	Steel roller, 60" fiberglass extension handle	2"	4"	4.40
MR02380	Steel roller, 60" fiberglass extension handle	2"	6"	5.88
MR05120	Silicone roller, 60" fiberglass extension handle	2"	4"	2.50


STEEL MEMBRANE ROLLERS



MODEL #	FEATURES	DIAMETER	WIDTH	WEIGHT (lbs.)
MR02470	Steel roller, 48" steel handle	3 1/2"	6"	22.00




MODEL #	FEATURES	DIAMETER	WIDTH	WEIGHT (lbs.)
MR02490	Steel roller, 32" detachable steel handle	2 1/2"	18"	34.96



MODEL #	FEATURES	DIAMETER	WIDTH	WEIGHT (lbs.)
MR02500	Steel roller, 32" detachable steel handle	4 1/2"	15"	79.00


SINGLE END ROLLERS

ROUND EDGE



MODEL #	FEATURES	DIAMETER	WIDTH	WEIGHT (lbs.)
MR08500	Steel round edge roller, Wood handle	2"	1/16"	0.34
MR08530	Steel round edge roller, Wood handle	2 1/2"	1/8"	0.47
MR08580	Steel round edge roller, Wood handle	2"	1/4"	0.44


"V" SHAPED




MODEL #	FEATURES	DIAMETER	WIDTH	WEIGHT (lbs.)
MR12540	Nylon roller tapered to 5/64" radius, Double fork, Wood handle	2"	7/16"	0.34
MR13110	Brass roller tapered to 1/64" radius, Offset single fork, Wood handle	1 1/8"	.196"	0.35
MR13500	Aluminum roller tapered to 5/64" radius, Double fork, Wood handle	2"	1/2"	0.38

DOUBLE END ROLLERS


"V" SHAPED



MODEL #	FEATURES	ALUMINUM	BRASS	WEIGHT (lbs.)
MR13115	Aluminum "V" roller, Brass "V" detail roller, Wood handle	2" x 1/2"	1 1/8" x .196"	0.56



MODEL #	FEATURES	SILICONE	BRASS	WEIGHT (lbs.)
MR13140	Silicone roller, Brass "V" detail roller, Wood handle	1 7/16" x 1 3/4"	1 1/8" x .196"	0.75



MODEL #	FEATURES	SILICONE	NYLON	WEIGHT (lbs.)
MR13160	Silicone roller, Nylon "V" detail roller, Wood handle	1 7/16" x 1 3/4"	2" x 7/16"	0.70


PREMIUM SEAM TESTERS

CHEK-N-FOLD®




MODEL #	FEATURES	OAL	WEIGHT (lbs.)
MM21120	3 ½" Long folding probe, Ergonomic Plastic handle	8"	0.25

CHEK-N-CUT



MODEL #	FEATURES	OAL	WEIGHT (lbs.)
MM21140	Folding utility knife, 3 ½" Long folding probe, Plastic handle	10 ¾"	0.61

CONVERTIBLE




MODEL #	FEATURES	OAL	WEIGHT (lbs.)
MM21034	3 ¼" Long probe, Soft grip plastic convertible handle	8 ½"	0.25
MR02400	60" Fiberglass extension handle	60"	1.03

STANDARD SEAM TESTERS



MODEL #	FEATURES	OAL	WEIGHT (lbs.)
MM21060	5" Long probe, Hard plastic convertible handle	10 1/4"	0.20
MM21080	MM21060 with 60" Fiberglass extension handle	70 1/4"	1.23



MODEL #	FEATURES	OAL	WEIGHT (lbs.)
MM21090	4" Long seam tester, Comfort grip handle	8"	0.18




MODEL #	FEATURES	OAL	WEIGHT (lbs.)
MM21031	3 1/4" Long probe, Wood handle	7"	0.20



MODEL #	FEATURES	OAL	WEIGHT (lbs.)
MM21051	3 1/4" Long probe, Formed handle	7"	0.16

INSULATION KNIVES

5" X-LONG CUT INSULATION KNIFE



Also Available:



3 " Long Cut®
Insulation Knife



Leather Sheath

MODEL #	FEATURES	BLADE LENGTH	OAL	WEIGHT (lbs.)
MK46000	High carbon spring steel blade, Plastic handle	3 5/8"	7 1/2"	0.15
MK46300	High carbon spring steel blade, Plastic handle	5"	8 7/8"	0.15
DM90070	Sheath, Riveted reinforced leather	N/A	8 3/4"	0.10

UTILITY KNIVES



DH74510




DH74600



DH74610



DM87180



MODEL #	FEATURES	BLADE QUANTITY	WEIGHT (lbs.)
DH74510	HYDE®, 18mm retractable blade, Built-in blade breaker	3	0.23
DH74600	HYDE®, Top slide, Three blade positions	1	0.30
DH74610	HYDE®, Top slide, Front loading, Change blades without tools	5	0.30
DM87180	STANLEY®, Classic No. 199, Fixed blade position	3	0.35

REPLACEMENT BLADES

DH75030	Hook utility blade card	5	0.05
DH75230	18mm Snap-off utility blade tube	10	0.17
DH75340	Standard two-notch utility blade card	5	0.05
DM87660	Hook utility blade box	100	0.77
DM87740	Large hook utility blade box	100	0.75
DS56040	Standard two-notch utility blade box	100	0.94
DS56090	Safety point utility blade box	100	0.97



STAND-UP MEMBRANE SLITTERS

STAND-N-CUT

Thumb Screws
Tighten Down
Utility Knife

Extension Handle
Threaded Insert

Structural Square Tubing



Can be used with:



60" Extension Handle



STANLEY®
Classic No. 199

MODEL #	FEATURES	WEIGHT (lbs.)
MM20240	Steel utility knife holder, 5" wide x 1 1/8" tall	0.70
MR02400	60" Fiberglass extension handle	1.03
DM87180	STANLEY®, Classic No. 199, Fixed blade position	0.35



Blade Storage

Removable Slitter Cartridge

4" Wheels

32" Steel Handle

Used with:



Standard Utility Blade


MODEL #	FEATURES	BLADE QUANTITY	WEIGHT (lbs.)
MM21110	Approx. 32" tall, Steel handle	6	7.00
DH75340	Pack of standard replacement blades	5	0.06
DS56040	Pack of standard replacement blades	100	0.94

HAND-HELD MEMBRANE SLITTER

3 Hole Slitter Blade

Durable Lightweight
Nylon Handle

Used with:



3 Hole Slitter Blade




Guide Slides under Membrane

MODEL #	FEATURES	BLADE QUANTITY	WEIGHT (lbs.)
MM21100	Approx. 8" wide x 3 1/2" long, Durable lightweight nylon handle	1	0.30
MM21105	Pack of 3 hole slitter replacement blades	5	0.10

SPECIALIZED BENT SHEARS

SUPERNONSTICK™ SHEARS



Also Available:



Nylon Sheath



Leather Sheath

MODEL #	FEATURES	CUT LENGTH	LENGTH	WEIGHT (lbs.)
DC65915	Heavy duty, Hardened carbon steel, Comfort grip	4 3/4"	10"	1.02
DC65925	Left-Handed version of DC65915	4 3/4"	10"	1.02
DM90100	Sheath, Holds seam roller and shears, Riveted reinforced leather		10 1/2"	0.15
MM20200	Sheath, Riveted reinforced nylon		12 1/2"	0.10

BENT SHEARS



DC65830



DC65860



DC65990



DC66000



DW60770




DW61640

MODEL #	FEATURES	CUT LENGTH	LENGTH	WEIGHT (lbs.)
DC65820	Heavy duty, Nickel plated	4 3/4"	10"	0.84
DC65830	Heavy duty, Nickel plated	6"	12"	1.31
DC65860	Heavy duty, Nickel plated	3 1/2"	8"	0.38
DC65960	Left handed version of DC65820	4 3/4"	10"	0.84
DC65990	Lightweight, Stainless steel, Plastic handles	4 3/4"	10"	0.49
DC66000	Heavy duty, Hardened carbon steel, Comfort grip	4 3/4"	10"	1.06
DW60750	WISS®, Heavy duty, Nickel plated, Comfort grip	4 3/4"	10"	1.00
DW60770	WISS®, Heavy duty, Nickel plated, Comfort grip	6"	12"	1.13
DW61640	WISS®, Heavy duty, Nickel plated, Safety point blades, Cushion grip	5"	10"	0.71

FAIRMONT TONGS

9 1/2" TONGS




Also Available:



MODEL #	FEATURES	LENGTH	JAW WIDTH	WEIGHT (lbs.)
MT14000	Forged and plated, Straight handles	9 1/2"	3"	1.82
MT14010	Forged and plated, Offset handles	9 1/2"	3"	1.82
MT14020	Forged and plated, Straight, Comfort grip handles	9 1/2"	3"	1.96
MT14030	Forged and plated, Offset, Comfort grip handles	9 1/2"	3"	1.96

HAND SEAMERS




Also Available:



MODEL #	FEATURES	LENGTH	JAW WIDTH	WEIGHT (lbs.)
MA74100	Nickel plated, Straight, Non-slip grip handles	9 1/2"	3 1/4"	1.39
MA74110	Nickel plated, Offset, Non-slip grip handles	9 1/2"	3 1/4"	1.47
MA74120	Nickel plated, Straight, Non-slip grip handles	9 1/2"	6"	1.91

KLENK® AVIATION SNIPS

13" LONG CUT SIDING SNIPS



Also Available:




10 1/2" Snips



Nylon Sheath

MODEL #	FEATURES	CUT	CUT LENGTH	LENGTH	WEIGHT (lbs.)
MA72000	Hardened alloy steel, Serrated blades, Original handles	↕	2 1/4"	13"	1.38
MA72010	Hardened alloy steel, Serrated blades, Original handles	↕	1 1/2"	10 1/2"	0.92
MM20200	Sheath, Riveted reinforced nylon			12 1/2"	0.10

10 1/2" SNIPS



Also Available:



Original Handles




9 1/2" Snips

MODEL #	FEATURES	CUT	CUT LENGTH	LENGTH	WEIGHT (lbs.)
MA70030	Hardened alloy steel, Serrated blades, Parallel handles	↗	1 1/4"	9 1/2"	0.840
MA70040	Hardened alloy steel, Serrated blades, Parallel handles	↖	1 1/4"	9 1/2"	0.840
MA70050	Hardened alloy steel, Serrated blades, Parallel handles	↕	1 1/4"	9 1/2"	0.840
MA70530	Hardened alloy steel, Serrated blades, Original handles	↗	1 1/2"	10 1/2"	0.880
MA70540	Hardened alloy steel, Serrated blades, Original handles	↖	1 1/2"	10 1/2"	0.880
MA70550	Hardened alloy steel, Serrated blades, Original handles	↕	1 1/2"	10 1/2"	0.880
MA70560	Hardened alloy steel, Serrated blades, Parallel handles	↗	1 1/2"	10 1/2"	0.960
MA70570	Hardened alloy steel, Serrated blades, Parallel handles	↖	1 1/2"	10 1/2"	0.960
MA70580	Hardened alloy steel, Serrated blades, Parallel handles	↕	1 1/2"	10 1/2"	0.960


KLENK® AVIATION SNIPS

NON-SERRATED SNIPS




MODEL #	FEATURES	CUT	CUT LENGTH	LENGTH	WEIGHT (lbs.)
MA74510	Hardened alloy steel, Non-Serrated blades, Parallel handles	↕	1 ½"	10 ½"	0.96
MA74520	Hardened alloy steel, Non-Serrated blades, Parallel handles	↗	1 ½"	10 ½"	0.96
MA74530	Hardened alloy steel, Non-Serrated blades, Parallel handles	↘	1 ½"	10 ½"	0.96

BULLDOG SNIPS



MODEL #	FEATURES	CUT	CUT LENGTH	LENGTH	WEIGHT (lbs.)
MA74500	Hardened alloy steel, Serrated blades, Short bite	↕	¾"	9"	0.76


OFFSET SNIPS



MODEL #	FEATURES	CUT	CUT LENGTH	LENGTH	WEIGHT (lbs.)
MA75200	Hardened alloy steel, Serrated blades, Parallel handles	↗	1 ½"	10"	1.06
MA75210	Hardened alloy steel, Serrated blades, Parallel handles	↘	1 ½"	10"	1.06

ROOFING MEMBRANE PLATE LAYER

PLATE LAYER




PATENT PENDING



MODEL #	FEATURES	LENGTH	WEIGHT (lbs.)
MM20260	Aluminum, Rubber magnet holder, Cushion grip handle	39 1/2"	0.64


MEASURING TOOL

25' TAPE MEASURE



MODEL #	FEATURES	LENGTH	WEIGHT (lbs.)
DA75500	Acrylic coated blade, Rubber coated case	25'	0.91

REPLACEMENT SLEEVES



Also Available:



Natural Rubber

MODEL #	FEATURES	DIAMETER	THICKNESS	WEIGHT (lbs.)
DM87520	Silicone, (Replacement wheels for Leister® hot air machines)	40mm	10mm	0.28
DM87610	Natural rubber, (Replacement wheels for Leister® hot air machines)	40mm	10mm	0.28

MULTI-TOOLS





4 IN 1 POCKET SOCKET® NUT DRIVER



DA86420



DA86427



Only Available as:



12 Piece Display
SAE or Metric

MODEL #	FEATURES	BOX QUANTITY	WEIGHT (lbs.)
DA86420	Hardened alloy steel, Plastic handle, Non-slip grip	12	0.37 ea.
DA86427	Hardened alloy steel, Plastic handle, Non-slip grip	12	0.37 ea.

16 IN 1 SCREWDRIVER



EVERHARD 16-IN-1 SCREWDRIVER BITS				
Hex	Roberts	Slot	Star	Phillips
3/32"			15	0
1/8"	2	1/4"	20	1
5/32"	3	3/16"	25	2
3/16"			30	3

MODEL #	FEATURES	LENGTH	WEIGHT (lbs.)
DA86355	Hardened alloy steel, Plastic handle, 8 double-end bits	7"	0.58

EVERHARD®

ROOFING TOOLS

Office: 1016 Ninth Street SW
Canton, Ohio 44707

Phone: 1-800-298-2832
or 1-330-453-7786

Fax: 1-800-225-0984
or 1-330-453-7449

Website: roofing.everhard.com

KLENK TOOLS

Premium Snips & Tools for Metal Roofing

Phone: 1-800-327-5619

Website: klenk.everhard.com

EVERHARD®

ROOFING TOOLS